Author–Title Index for Volume 106

Pages preceded by S are from the Environmental Health Perspectives Supplements

A

Abbey DE. *See* Beeson WL
Abramo KH. *See* Kelly SA
Abriola LM, Bradford SA: Experimental investigations of the entrapment and persistence of organic liquid contaminants in the subsurface environment, S1083–S1095
Acquavella J; Burns C, Flaherty D, Holsapple M, Kimber I, Ladics G, Loveless S, Tobia A: A critique of the World Resources Institute's Report "Pesticides and the Immune System: The Public Health Risks" (Commentary), 51–54; Flaherty D, Burns C, Holsapple M, Kimber I, Ladics G, Loveless S, Tobia A: Response [to Repetto R] [letter], A53–A54
Ademoyero AA. *See* De Rosa CT
Adler KB, Devlin RB, Vallyathan V: Preface: oxygen/nitrogen radicals and cellular injury, S1117. *See also* Martin LD
Adlercreutz H. *See* Boettger-Tong H
Ahmed AK. *See* Davis DL
Al-Hassani M. *See* Natarajan V
Alavanja MCR, Sandler DP, McDonnell CJ, Lynch CF, Pennybacker M, Zahm SH, Lubin J, Mage D, Steen WC, Wintersteen W, Blair A: Factors associated with self-reported, pesticide-related visits to health care providers in the Agricultural Health Study, 415–420
Albracht G. *See* Menzel HM
Alderete JF: Leadership is required for getting American minorities into research [editorial], A366–A367
Alexander BH, Checkoway H, Costa-Mallen P, Faustman EM, Woods JS, Kelsey KT, van Netten C, Costa LG: Interaction of blood lead and δ-aminolevulinic acid dehydratase genotype on markers of heme synthesis and sperm production in lead smelter workers, 213–216
Allen GA. *See* Korrick SA
Allen JB, Keng T, Privalle C. Nitric oxide and peroxynitrite production in ocular inflammation, S1145–S1149
Altshul L. *See* Korrick SA
Amler RW. *See* Carroquino MJ
Anbar RD. *See* Melman ST
Andersen ME, Barton HA: The use of biochemical and molecular parameters to estimate dose–response relationships at low levels of exposure, S349–S355
Anderson BE. *See* Suk WA
Anderson DG. *See* Crisp TM
Anderson HA, Falk C, Hanrahan L, Olson J, Burse VW, Needham L, Paschal D, Patterson D Jr, Hill RH Jr, The Great Lakes Consortium: Profiles of Great Lakes critical pollutants: a sentinel analysis of human blood and urine, 279–289
Ando M, Tadano M, Asanuma S, Tamura K, Matsushima S, Watanabe T, Kondo T, Sakurai S, Ji R, Liang C, Cao S: Health effects of indoor fluoride pollution from coal burning in China, 239–244
Anh CT. *See* Kramárová E
Aposhian HV: Mobilization of mercury and arsenic in humans by sodium 2,3-dimercapto-1-propane sulfonate (DMPS), S1017–S1025
Aquilar MG. *See* Guillette EA
Arcaro KF, Vakharia DD, Yang Y, Gierthy JF: Lack of synergy by mixtures of weakly estrogenic hydroxylated polychlorinated biphenyls and pesticides, S1041–S1046. *See also* Carpenter DO
Arcas RM. *See* Pereira LAA
Aref S. *See* Taets C
Arndt K, Hofmann D, Gehre M, Krumbiegel P: ^{15}N investigation into the effect of a pollutant on the nitrogen metabolism of *Tetrahymena pyriformis* as a model for environmental medical research, 493–497
Aro A. *See* Farias P
Arslan A. *See* Preston-Martin S
Asanuma S. *See* Ando M
Aschengrau A, Paulu C, Ozonoff D: Tetrachloroethylene-contaminated drinking water and the risk of breast cancer, S947–S953
Ashby J; Odum J: The importance of protocol design and data reporting to research on endocrine disruption [letter], A315–A316; Tinwell H: Uterotrophic activity of bisphenol A in the immature rat, 719–720; The α2u-globulin discussion [letter], A126; The first synthetic estrogen [letter], A221
Austern B. *See* Brooks LR
Axelrad DA. *See* Woodruff TJ
Axelrod D. *See* Davis DL
Axtell CD, Myers GJ, Davidson PW, Choi AL, Cernichiari E, Sloane-Reeves J, Shamlaye C, Cox C, Clarkson TW: Semiparametric modeling of age at achieving developmental milestones after prenatal exposure to methylmercury in the Seychelles Child Development Study, 559–564
Ayala-Fierro F. *See* Peraza MA

B

Babich MA: Commentary: risk assessment of low-level chemical exposures from consumer products under the U.S. Consumer Product Safety Commission chronic hazard guidelines, S387–S390
Bachowski S. *See* Klaunig JE
Baetcke KP. *See* Crisp TM
Bailey L. *See* Davis DL
Bair R. *See* Wendt CH
Bajenova OV. *See* Hamilton JW
Balasubramanian AV. *See* Milligan SR
Baldwin LA. *See* Calabrese EJ
Baliga S. *See* Repetto R
Ballatori N, Lieberman MW, Wang W: *N*-Acetylcysteine as an antidote in methylmercury poisoning, 267–271
Balls M: Commentary: mechanistic approaches and the development of alternative toxicity test methods, S453–S457. *See also* Blaauboer BJ
Bapna JS. *See* Sharma S
Barbee SA. *See* Smith Sonneborn J
Barber DS. *See* Peraza MA
Baron JA. *See* Karagas MR
Barratt MD: Integration of QSAR and *in vitro* toxicology, S459–S465. *See also* Blaauboer BJ
Barrett JC. *See* Lucier GW
Barton HA. *See* Andersen ME
Bartsch R, Forderkunz S, Reuter U, Sterzl-Eckert H, Greim H: Maximum workplace concentration values and carcinogenicity classification for mixtures, S1291–S1293
Bas Bueno-de-Mesquita H. *See* Vena J
Batts-Osborne D. *See* Orloff KG
Beall JR: Commentary: low-level exposures: some implications for the U.S. Department of Energy, S383–S385
Bearer CF: Biomarkers in pediatric environmental health: a cross-cutting issue, S813–S816. *See also* Landrigan PJ
Beasley VR. *See* Reeder AL
Beaty BJ, Black WC, Carlson JO, Clements WH, DuTeau N, Harrahy E, Nuckols J, Olson KE, Rayms-Keller A: Molecular and genetic ecotoxicologic approaches to aquatic environmental bioreporting, S1395–S1407
Becher H; Flesch-Janys D: Introduction: dioxins and furans: epidemiologic assessment of cancer risks and other human health effects, S623–S624; Steindorf K, Flesch-Janys D: Quantitative cancer risk assessment for dioxins using an occupational cohort, S663–S670. *See also* Flesch-Janys D; Messerer P; Vena J
Becker S, Berhane K: Re: "Have sperm densities declined? A reanalysis of global trend data" [letter], A420
Beeson WL, Abbey DE, Knutsen SF: Long-term concentrations of ambient air pollutants and incident lung cancer in California adults: results from the AHSMOG study, 813–823
Beland FA. *See* Goldstein LS
Bell DA. *See* Whyatt RM
Benjamin SA. *See* Yang RSH
Benn T. *See* Vena J
Berg PA. *See* Jung D
Berhane K. *See* Becker S
Bernucci I. *See* Bertazzi PA
Bertazzi PA, Bernucci I, Brambilla G, Consonni D, Pesatori AC: The Seveso studies on early and long-term effects of dioxin exposure: a review, S625–S633. *See also* Landi MT
Beyer A. *See* Hopert A-C
Bhopal R. *See* Pless-Mulloli T
Bienfait HG. *See* Menzel HM
Bierzwinski S. *See* Borja-Aburto VH
Billiar TR. *See* Shah NS
Billingsley M. *See* Harry GJ
Birnbaum L. *See* Van den Berg M
Bishop CA. *See* de Solla SR
Blaauboer BJ, Balls M, Barratt M, Casati S, Coecke S, Mohamed MK, Moore J, Rall D, Smith KR, Tennant R, Schwetz BA, Stokes WS, Younes M: Joint report: alternative testing methodologies and conceptual issues, S413–S418
Black WC. *See* Beaty BJ
Blackford JA. *See* Castranova V
Blair A. *See* Alavanja MCR
Blair J. *See* Colt JS
Blakely WF. *See* Miller AC
Blankvoort B. *See* Gaido K
Blum C. *See* Maddaloni M

Author–Title Index for Volume 106

Pages preceded by S are from the Environmental Health Perspectives Supplements

A

Abbey DE. *See* Beeson WL
Abramo KH. *See* Kelly SA
Abriola LM, Bradford SA: Experimental investigations of the entrapment and persistence of organic liquid contaminants in the subsurface environment, S1083–S1095
Acquavella J; Burns C, Flaherty D, Holsapple M, Kimber I, Ladics G, Loveless S, Tobia A: A critique of the World Resources Institute's Report "Pesticides and the Immune System: The Public Health Risks" (Commentary), 51–54; Flaherty D, Burns C, Holsapple M, Kimber I, Ladics G, Loveless S, Tobia A: Response [to Repetto R] [letter], A53–A54
Ademoyero AA. *See* De Rosa CT
Adler KB, Devlin RB, Vallyathan V: Preface: oxygen/nitrogen radicals and cellular injury, S1117. *See also* Martin LD
Adlercreutz H. *See* Boettger-Tong H
Ahmed AK. *See* Davis DL
Al-Hassani M. *See* Natarajan V
Alavanja MCR, Sandler DP, McDonnell CJ, Lynch CF, Pennybacker M, Zahm SH, Lubin J, Mage D, Steen WC, Wintersteen W, Blair A: Factors associated with self-reported, pesticide-related visits to health care providers in the Agricultural Health Study, 415–420
Albracht G. *See* Menzel HM
Alderete JF: Leadership is required for getting American minorities into research [editorial], A366–A367
Alexander BH, Checkoway H, Costa-Mallen P, Faustman EM, Woods JS, Kelsey KT, van Netten C, Costa LG: Interaction of blood lead and δ-aminolevulinic acid dehydratase genotype on markers of heme synthesis and sperm production in lead smelter workers, 213–216
Allen GA. *See* Korrick SA
Allen JB, Keng T, Privalle C. Nitric oxide and peroxynitrite production in ocular inflammation, S1145–S1149
Altshul L. *See* Korrick SA
Amler RW. *See* Carroquino MJ
Anbar RD. *See* Melman ST
Andersen ME, Barton HA: The use of biochemical and molecular parameters to estimate dose–response relationships at low levels of exposure, S349–S355
Anderson BE. *See* Suk WA
Anderson DG. *See* Crisp TM
Anderson HA, Falk C, Hanrahan L, Olson J, Burse VW, Needham L, Paschal D, Patterson D Jr, Hill RH Jr, The Great Lakes Consortium: Profiles of Great Lakes critical pollutants: a sentinel analysis of human blood and urine, 279–289
Ando M, Tadano M, Asanuma S, Tamura K, Matsushima S, Watanabe T, Kondo T, Sakurai S, Ji R, Liang C, Cao S: Health effects of indoor fluoride pollution from coal burning in China, 239–244
Anh CT. *See* Kramárová E
Aposhian HV: Mobilization of mercury and arsenic in humans by sodium 2,3-dimercapto-1-propane sulfonate (DMPS), S1017–S1025
Aquilar MG. *See* Guillette EA
Arcaro KF, Vakharia DD, Yang Y, Gierthy JF: Lack of synergy by mixtures of weakly estrogenic hydroxylated polychlorinated biphenyls and pesticides, S1041–S1046. *See also* Carpenter DO
Arcas RM. *See* Pereira LAA
Aref S. *See* Taets C
Arndt K, Hofmann D, Gehre M, Krumbiegel P: ^{15}N investigation into the effect of a pollutant on the nitrogen metabolism of *Tetrahymena pyriformis* as a model for environmental medical research, 493–497
Aro A. *See* Farias P
Arslan A. *See* Preston-Martin S
Asanuma S. *See* Ando M
Aschengrau A, Paulu C, Ozonoff D: Tetrachloroethylene-contaminated drinking water and the risk of breast cancer, S947–S953
Ashby J; Odum J: The importance of protocol design and data reporting to research on endocrine disruption [letter], A315–A316; Tinwell H: Uterotrophic activity of bisphenol A in the immature rat, 719–720; The α2u-globulin discussion [letter], A126; The first synthetic estrogen [letter], A221
Austern B. *See* Brooks LR
Axelrad DA. *See* Woodruff TJ
Axelrod D. *See* Davis DL
Axtell CD, Myers GJ, Davidson PW, Choi AL, Cernichiari E, Sloane-Reeves J, Shamlaye C, Cox C, Clarkson TW: Semiparametric modeling of age at achieving developmental milestones after prenatal exposure to methylmercury in the Seychelles Child Development Study, 559–564
Ayala-Fierro F. *See* Peraza MA

B

Babich MA: Commentary: risk assessment of low-level chemical exposures from consumer products under the U.S. Consumer Product Safety Commission chronic hazard guidelines, S387–S390
Bachowski S. *See* Klaunig JE
Baetcke KP. *See* Crisp TM
Bailey L. *See* Davis DL
Bair R. *See* Wendt CH
Bajenova OV. *See* Hamilton JW
Balasubramanian AV. *See* Milligan SR
Baldwin LA. *See* Calabrese EJ
Baliga S. *See* Repetto R
Ballatori N, Lieberman MW, Wang W: *N*-Acetylcysteine as an antidote in methylmercury poisoning, 267–271
Balls M: Commentary: mechanistic approaches and the development of alternative toxicity test methods, S453–S457. *See also* Blaauboer BJ
Bapna JS. *See* Sharma S
Barbee SA. *See* Smith Sonneborn J
Barber DS. *See* Peraza MA
Baron JA. *See* Karagas MR
Barratt MD: Integration of QSAR and *in vitro* toxicology, S459–S465. *See also* Blaauboer BJ
Barrett JC. *See* Lucier GW
Barton HA. *See* Andersen ME
Bartsch R, Forderkunz S, Reuter U, Sterzl-Eckert H, Greim H: Maximum workplace concentration values and carcinogenicity classification for mixtures, S1291–S1293
Bas Bueno-de-Mesquita H. *See* Vena J
Batts-Osborne D. *See* Orloff KG
Beall JR: Commentary: low-level exposures: some implications for the U.S. Department of Energy, S383–S385
Bearer CF: Biomarkers in pediatric environmental health: a cross-cutting issue, S813–S816. *See also* Landrigan PJ
Beasley VR. *See* Reeder AL
Beaty BJ, Black WC, Carlson JO, Clements WH, DuTeau N, Harrahy E, Nuckols J, Olson KE, Rayms-Keller A: Molecular and genetic ecotoxicologic approaches to aquatic environmental bioreporting, S1395–S1407
Becher H; Flesch-Janys D: Introduction: dioxins and furans: epidemiologic assessment of cancer risks and other human health effects, S623–S624; Steindorf K, Flesch-Janys D: Quantitative cancer risk assessment for dioxins using an occupational cohort, S663–S670. *See also* Flesch-Janys D; Messerer P; Vena J
Becker S, Berhane K: Re: "Have sperm densities declined? A reanalysis of global trend data" [letter], A420
Beeson WL, Abbey DE, Knutsen SF: Long-term concentrations of ambient air pollutants and incident lung cancer in California adults: results from the AHSMOG study, 813–823
Beland FA. *See* Goldstein LS
Bell DA. *See* Whyatt RM
Benjamin SA. *See* Yang RSH
Benn T. *See* Vena J
Berg PA. *See* Jung D
Berhane K. *See* Becker S
Bernucci I. *See* Bertazzi PA
Bertazzi PA, Bernucci I, Brambilla G, Consonni D, Pesatori AC: The Seveso studies on early and long-term effects of dioxin exposure: a review, S625–S633. *See also* Landi MT
Beyer A. *See* Hopert A-C
Bhopal R. *See* Pless-Mulloli T
Bienfait HG. *See* Menzel HM
Bierzwinski S. *See* Borja-Aburto VH
Billiar TR. *See* Shah NS
Billingsley M. *See* Harry GJ
Birnbaum L. *See* Van den Berg M
Bishop CA. *See* de Solla SR
Blaauboer BJ, Balls M, Barratt M, Casati S, Coecke S, Mohamed MK, Moore J, Rall D, Smith KR, Tennant R, Schwetz BA, Stokes WS, Younes M: Joint report: alternative testing methodologies and conceptual issues, S413–S418
Black WC. *See* Beaty BJ
Blackford JA. *See* Castranova V
Blair A. *See* Alavanja MCR
Blair J. *See* Colt JS
Blakely WF. *See* Miller AC
Blankvoort B. *See* Gaido K
Blum C. *See* Maddaloni M

Blum J. *See* Karagas MR
Bochkov NP. *See* Spielmann H
Bock SE. *See* Hilts SR
Boettger-Tong H, Murthy L, Chiappetta C, Kirkland JL, Goodwin B, Adlercreutz H, Stancel GM, Mäkelä S: A case of a laboratory animal feed with high estrogenic activity and its impact on *in vivo* responses to exogenously administered estrogens, 369–373
Boffetta P. *See* Vena J
Böhm GM. *See* Pereira LAA
Bolger PM. *See* Gaylor DW
Bolger R, Wiese TE, Ervin K, Nestich S, Checovich W: Rapid screening of environmental chemicals for estrogen receptor binding capacity, 551–557
Bolm-Audorff. *See* Menzel HM
Bolten C. *See* Gebel TW
Boncavage-Hennessey EM. *See* Gardner HS Jr.
Boorman GA: Response: magnetic field reports [letter], A314–A315
Boothman DA. *See* Odegaard E
Bopp RF, Chillrud SN, Shuster EL, Simpson HJ, Estabrooks FD: Trends in chlorinated hydrocarbon levels in Hudson River Basin sediments, S1075–S1081
Borja-Aburto VH, Castillejos M, Gold DR, Bierzwinski S, Loomis D. Mortality and ambient fine particles in Southwest Mexico City, 1993-1995, 849–855
Bornschein R. *See* Succop P
Bosch-Morell F. *See* Romero FJ
Bosveld ATC. *See* Van den Berg M
Botnick CE. *See* Goldstein BD
Bowers D. *See* Burkhart JG
Bowers TS, Cohen JT. Blood lead slope factor models for adults: comparisons of observations and predictions, S1569–S1576
Boyd SA. *See* Mousa MA
Bradford SA. *See* Abriola LM
Bradlow HL, Kabat GC: Re: "A pilot study of urinary estrogen metabolites (16α-OHE_1 and 2-OHE_1) in postmenopausal women with and without breast cancer," A126–A127
Brady TC. *See* Kelly SA
Braga ALF. *See* Pereira LAA
Brain JD, Long NC, Wolfthal SF, Dumyahn T, Dockery DW: Pulmonary toxicity in hamsters of smoke particles from Kuwaiti oil fires, 141–146
Brambilla G. *See* Bertazzi PA
Brambilla P. *See* Landi MT
Brennan LM. *See* Gardner HS Jr.
Brenner R. *See* Brooks LR; Hughes TJ
Brinkman MC. *See* Gordon SM
Broding C. *See* Triebig G
Brody DJ. *See* Pirkle JL
Bromberg PA. *See* Kodavanti UP
Brooks LR, Hughes TJ, Claxton LD, Austern B, Brenner R, Kremer F: Bioassay-directed fractionation and chemical identification of mutagens in bioremediated soils, S1435–S1440. *See also* Hughes TJ
Brooks RJ. *See* de Solla SR
Brown K. *See* Succop P
Brown SD. *See* Holian A
Bruinink A. *See* Harry GJ
Bruner LH, Carr GJ, Curren RD, Chamberlain M: Validation of alternative methods for toxicity testing, S477–S484. *See also* Curren RD
Brunström B. *See* Van den Berg M
Bucalá V. *See* Saito HH
Bucher JR: Update on National Toxicology Program (NTP) assays with genetically altered or "transgenic" mice, 619–621; Lucier G: Commentary: current approaches toward chemical mixture studies at the National Institute of Environmental Health Sciences and the U.S. National Toxicology Program, S1295–S1298
Buckley B. *See* Gurunathan S
Buckley TJ. *See* Weaver VM
Bukowski J. *See* Gurunathan S
Bullard RD. *See* Landrigan PJ
Burkhart JG, Helgen JC, Fort DJ, Gallagher K, Bowers D, Propst TL, Gernes M, Magner J, Shelby MD, Lucier G: Induction of mortality and malformation in *Xenopus laevis* embryos by water sources associated with field frog deformities, 841–848
Burns C. *See* Acquavella J
Burow BC. *See* Cheek AO
Burse VW. *See* Anderson HA
Bush B. *See* Carpenter DO; Chiarenzelli J
Bushar HF. *See* Luu H-MD
Bushart S. *See* Chiarenzelli J
Bykov V. *See* Smith-Sivertsen T
Bylander JE. *See* Castranova V
Byrne SL, Shurdut BA, Saunders DG: Potential chlorpyrifos exposure to residents following standard crack and crevice treatment, 725–731

C

Calabrese EJ: Introduction: toxicological defense mechanisms and the shape of dose–response relationships, S275; Baldwin LA: Hormesis as a biological hypothesis, S357–S362
Caldwell J. *See* Woodruff TJ
Callahan PJ. *See* Gordon SM
Calvert GM, Wall DK, Haring Sweeney M, Fingerhut MA: Evaluation of cardiovascular outcomes among U.S. workers exposed to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, S635–S643
Camann DE. *See* Colt JS
Campain J. *See* Yang RSH
Campbell IL. *See* Harry GJ
Cao J. *See* Ho Y-S
Cao S. *See* Ando M
Caporaso NE. *See* Landi MT
Caprino L, Togna GI: Potential health effects of gasoline and its constituents: a review of current literature (1990–1997) on toxicological data, 115–125
Capuni-Paracka S. *See* Factor-Litvak P
Caquet T. *See* Lagadic L
Carlson JE: Children's environmental health research—an introduction, S785–S786. *See also* Landrigan PJ
Carlson JO. *See* Beaty BJ
Carpenter DO, Arcaro KF, Bush B, Niemi WD, Pang S, Vakharia DD: Human health and chemical mixtures: an overview, S1263–S1270. *See also* Chiarenzelli J; Fitzgerald EF
Carr GJ. *See* Bruner LH
Carrizales L. *See* Rodriguez VM
Carroll RJ, Galindo CD: Measurement error, biases, and the validation of complex models for blood lead levels in children, S1535–S1539
Carroquino MJ, Galson SK, Licht J, Amler RW, Perera FP, Claxton LD, Landrigan PJ: The U.S. EPA Conference on Preventable Causes of Cancer in Children: a research agenda, S867–S873. *See also* Galson SK
Carter JM. *See* Driscoll KE
Carter WH Jr. *See* Nesnow S
Casarez E. *See* Peraza MA
Casati S. *See* Blaauboer BJ
Case MW. *See* Prah JD
Cassee FR. *See* Feron VJ
Castillejos M. *See* Borja-Aburto VH
Castranova V, Huffman LJ, Judy DJ, Bylander JE, Lapp LN, Weber SL, Blackford JA, Dey RD: Enhancement of nitric oxide production by pulmonary cells following silica exposure, S1165–S1169. *See also* Vallyathan V
Cau HD. *See* Kramárová E
Cazzaniga MA. *See* Landi MT
Cernichiari E. *See* Axtell CD
Chamberlain M. *See* Bruner LH
Chan C-C. *See* Chen P-C
Chan P. *See* Huff J
Chang C-Y. *See* Maier A
Chang DPY: Commentary: a case study in innovative outreach—combining training, research, and technology transfer to address real-world problems, S1065–S1067
Charnley G, Goldstein BD: A public health context for residual risk assessment and risk management under the Clean Air Act, 519–521
Chaudhary A. *See* Sharma S
Checkoway H. *See* Alexander BH
Checovich W. *See* Bolger R
Cheek AO, Vonier PM, Oberdörster E, Burow BC, McLachlan JA: Environmental signaling: a biological context for endocrine disruption, S5–S10
Chen DG, Pounds JG: A nonlinear isobologram model with Box–Cox transformation to both sides for chemical mixtures, S1367–S1371
Chen I. *See* Gaido K
Chen P-C, Lai Y-M, Wang J-D, Yang C-Y, Hwang J-S, Kuo H-W, Huang S-L, Chan C-C: Adverse effect of air pollution on respiratory health of primary school children in Taiwan, 331–335
Chen S. *See* Kao Y-C
Cheng L, Liu S, Dixon K: Analysis of repair and mutagenesis of chromium-induced DNA damage in yeast, mammalian cells, and transgenic mice, S1027–S1032
Chia S-E. *See* Goh VH-H

Chiappetta C. *See* Boettger-Tong H
Chiarenzelli J, Scrudato R, Bush B, Carpenter D, Bushart S: Do large-scale remedial and dredging events have the potential to release significant amounts of semivolatile compounds to the atmosphere?, 47–49
Chillrud SN. *See* Bopp RF
Chin B. *See* Sherman J
Choe N. *See* Gordon M
Choe N. *See* Zhu S
Choi AL. *See* Axtell CD
Choi W. *See* Preston-Martin S
Chou C-HSJ. *See* De Rosa CT
Chou K. *See* Mousa MA
Chuvakova T. *See* Hooper K
Clarkson TW. *See* Axtell CD
Classen W. *See* Harry GJ
Claudio L, Torres T, Sanjurjo E, Sherman LR, Landrigan PJ: Commentary: environmental health sciences education—a tool for achieving environmental equity and protecting children, S849–S855
Claxton LD. *See* Brooks LR; Carroquino MJ; Hughes TJ
Clegg ED. *See* Crisp TM
Clements WH. *See* Beaty BJ
Coecke S. *See* Blaauboer BJ
Coggon D. *See* Vena J
Cogliano VJ: Assessing the cancer risk from environmental PCBs, 317–323
Cohen JT. *See* Bowers TS
Colin D. *See* Vena J
Collman GW. *See* Suk WA
Colt JS; Zahm SH, Camann DE, Hartge P: Comparison of pesticides and other compounds in carpet dust samples collected from used vacuum cleaner bags and from a high-volume surface sampler, 721–724; Blair J: Parental occupational exposures and risk of childhood cancer, S909–S925
Conceição GMS. *See* Pereira LAA
Concha G, Nermell B, Vahter M: Metabolism of inorganic arsenic in children with chronic high arsenic exposure in northern Argentina, 355–359
Consonni D. *See* Bertazzi PA; Landi MT
Contrera JF, DeGeorge JJ: *In vivo* transgenic bioassays and assessment of the carcinogenic potential of pharmaceuticals, S71–S80
Cook P. *See* Van den Berg M
Cooper M. *See* Orloff KG
Cooper RL. *See* Crisp TM
Cooper TB. *See* Whyatt RM
Copes RA. *See* Hilts SR
Cordier S. *See* Preston-Martin S
Corsini E. *See* Rosenthal GJ
Cosma G. *See* Whyatt RM
Costa DL. *See* Kodavanti UP
Costa LG: Neurotoxicity testing: a discussion of *in vitro* alternatives, S505–S510. *See also* Alexander BH; Spielmann H
Costa M. *See* Zhitkovich A
Costa-Mallen P. *See* Alexander BH
Cox C. *See* Axtell CD
Crane J. *See* Hales S
Cranmer JS. *See* Landrigan PJ
Crisp TM, Clegg ED, Cooper RL, Wood WP, Anderson DG, Baetcke KP, Hoffmann JL, Morrow MS, Rodier DJ, Schaeffer JE, Touart LW, Zeeman MG, Patel YM: Environmental endocrine disruption: an effects assessment and analysis, S11–S56. *See also* Hill RN
Cross CE, van der Vliet A, Louie S, Thiele JJ, Halliwell B: Oxidative stress and antioxidants at biosurfaces: plants, skin, and respiratory tract surfaces, S1241–S1251
Culp SJ. *See* Goldstein LS
Curren RD; Bruner L, Goldberg A, Walum E: Joint report: validation and acute toxicity testing, S419–S425; Harbell JW: *In vitro* alternatives for ocular irritation, S485–S492. *See also* Bruner LH

D

Dai LC. *See* Kramárová E
Dallinga JW. *See* Vermeer ITM
Dalu A, Rao PS, Mehendale HM: Colchicine antimitosis abolishes resiliency of postnatally developing rats to chlordecone-amplified carbon tetrachloride hepatotoxicity and lethality, 597–606
Daniel V. *See* Gerhard I
Davidson PW. *See* Axtell CD; Myers GJ
Davis B. *See* White PD
Davis DL; Ahmed AK: Independent review of industry-generated data [letter], A583–A584; Ahmed AK: Exposures from indoor spraying of chlorpyrifos pose greater health risks to children than currently estimated, 299–301; Axelrod D, Bailey L, Gaynor M, Sasco AJ: Rethinking breast cancer risk and the environment: the case for the precautionary principle, 523–529
Davis JM: Methylcyclopentadienyl manganese tricarbonyl: health risk uncertainties and research directions, S191–S201; Farland WH: Commentary: biological effects of low-level exposures: a perspective from U.S. EPA scientists, S379–S381
Dawson BV. *See* Johnson PD
de Gruijl FR. *See* Goettsch W
de Lafontaine Y. *See* Mikaelian I
De Rosa CT; Pohl HR, Williams M, Ademoyero AA, Chou C-HSJ, Jones DE: Public health implications of environmental exposures, S369–S378. *See also* Hansen H; Mumtaz MM; Reiter LW
de Solla SR, Bishop CA, Van Der Kraak G, Brooks RJ: Impact of organochlorine contamination on levels of sex hormones and external morphology of common snapping turtles (*Chelydra serpentina serpentina*) in Ontario, Canada, 253–260
DeGeorge JJ. *See* Contrera JF
Delfino RJ, Zeiger RS, Seltzer JM, Street DH: Symptoms in pediatric asthmatics and air pollution: differences in effects by symptom severity, anti-inflammatory medication use, and particulate averaging time, 751–761
Denko T. *See* Maier A
Devlin RB. *See* Adler KB
Dey RD. *See* Castranova V
Diaz-Barriga F. *See* Rodriguez VM
Dillon D. *See* Heinze I
Ding W-X, Shen H-M, Shen Y, Zhu H-G, Ong C-N: Microcystic cyanobacteria causes mitochondrial membrane potential alteration and reactive oxygen species formation in primary cultured rat hepatocytes, 409–413
Dixon K. *See* Cheng L
Do Lu H-M. Response [to Kulig K] [letter], A527
Dockery DW. *See* Brain JD; Korrick SA
Dohme L. *See* Gaido K
Dorman DC. *See* Harry GJ
Drexler J. *See* Maddaloni M
Driscoll KE, Carter JM, Howard JB, Hassenbein D, Janssen YMW, Mossman BT: Crocidolite activates NF-κB and MIP-2 gene expression in rat alveolar epithelial cells. Role of mitochondrial-derived oxidants, S1171–S1174. *See also* Janssen YMW
Druz N. *See* Hooper K
Duffy J. *See* Gordon M
Dufour L. *See* Rodriguez VM
Dumyahn T. *See* Brain JD
Dunkelberg HH. *See* Gebel TW
Dunn C. *See* Pless-Mulloli T
Durkin PR. *See* Mumtaz MM
DuTeau N. *See* Beaty BJ

E

Eastin WC: The U.S. National Toxicology Program evaluation of transgenic mice as predictive models for identifying carcinogens, S81–S84
Edler L. *See* Jung D
Edling C. *See* Friis L
Ehrenthal W. *See* Jung D
Eide I, Johnsen HG: Mixture design and multivariate analysis in mixture research, S1373–S1376
Eisold J. *See* Reeder AL
Ejnik JW. *See* Miller AC
Ekuan G. *See* Gordon M
Elias RW. *See* Grant LD; Marcus AH; White PD
Elkin EP. *See* Swan SH; Swan SH
Ellefson R. *See* Hryhorczuk DO
Emmel C. *See* Menzel HM
Ernst M, Flesch-Janys D, Morgenstern I, Manz A: Immune cell functions in industrial workers after exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin: dissociation of antigen-specific T-cell responses in cultures of diluted whole blood and of isolated peripheral blood mononuclear cells, S701–S705
Ervin K. *See* Bolger R
Erzurum SC. *See* Guo FH
Estabrooks FD. *See* Bopp RF
Etzel RA. *See* Landrigan PJ

F

Fabig K-R. *See* von Manikowsky S
Factor-Litvak P, Slavkovich V, Liu X, Popovac D, Preteni E, Capuni-Paracka S, Hadzialjevic S, Lekic V, Lolacono N, Kline J, Graziano J: Hyperproduction of erythropoietin in nonanemic lead-exposed children, 361–364

Faeh S. *See* Reeder AL
Fagliano JA. *See* Stern AH
Falk C. *See* Anderson HA
Farias P, Hu H, Rubenstein E, Meneses-Gonzalez F, Fishbein E, Palazuelos E, Aro A, Hernandez-Avila M: Determinants of bone and blood lead levels among teenagers living in urban areas with high lead exposure, 733–737
Farland WH. *See* Davis JM
Faustman EM. *See* Alexander BH
Fay M. *See* Hansen H
Feder GL. *See* Tatu CA
Feeley M. *See* Van den Berg M
Fekete T. *See* Lutz WK
Fenner D. *See* Jung D
Fenster L. *See* Swan SH
Feron VJ; Cassee FR, Groten JP: Toxicology of chemical mixtures: international perspectives, S1281–S1289. *See also* Groten JP; Mumtaz MM
Filippini G. *See* Preston-Martin S
Fingerhut MA. *See* Calvert GM
Finkelman RB. *See* Tatu CA
Finn WF. *See* Mueller PW
Fischer LJ. *See* Mousa MA
Fishbein E. *See* Farias P
Fisher JW. *See* Pleil JD
Fitzgerald EF, Schell LM, Marshall EG, Carpenter DO, Suk WA, Zejda JE: Environmental pollution and child health in Central and Eastern Europe, 307–311
Flaherty D. *See* Acquavella J
Fleming DEB: Research highlight: lead speciation and occupational exposure, 531
Flesch-Janys D, Steindorf K, Gurn P, Becher H: Estimation of the cumulated exposure to polychlorinated dibenzo-*p*-dioxins/furans and standardized mortality ratio analysis of cancer mortality by dose in an occupationally exposed cohort, S655–S662. *See also* Becher H; *See* Ernst M; Jung D; Vena J
Focks DA. *See* Patz JA
Foley GL. *See* Reeder AL
Ford T, Sorci J, Ika R, Shine J: Interactions between metals and microbial communities in New Bedford Harbor, Massachusetts, S1033–S1039
Forderkunz S. *See* Bartsch R
Forman DL. *See* Neumann CM
Forman HJ, Zhou H, Gozal E, Torres M. Modulation of the alveolar macrophage superoxide production by protein phosphorylation, S1185–S1190
Fort DJ. *See* Burkhart JG
Fowler BA. Roles of lead-binding proteins in mediating lead bioavailability, S1585–S1587
Foy C. *See* Pless-Mulloli T
Frame LT, Hart RW, Leakey JEA: Caloric restriction as a mechanism mediating resistance to environmental disease, S313–S324
Frank K. *See* Hopert A-C
Fredrikson M. *See* Hardell L
Freeman NCG. *See* Gurunathan S; Stern AH
Frey AH: Ethical questions on the use of magnetic field reports [letter], A314; Headaches from cellular telephones: are they real and what are the implications? (Commentary), 101–103
Friis L, Petersson L, Edling C: Reduced cadmium levels in human kidney cortex in Sweden, 175–178
Frumkin H: Multiple system atrophy following chronic carbon disulfide exposure, 611–613
Furner S. *See* Hryhorczuk DO

G

Gaido K, Dohme L, Wang F, Chen I, Blankvoort B, Ramamoorthy K, Safe S: Comparative estrogenic activity of wine extracts and organochlorine pesticide residues in food, S1347–S1351
Galati AJ. *See* Nesnow S
Galindo CD. *See* Carroll RJ
Gallagher K. *See* Burkhart JG
Galli C. *See* Harry GJ
Galson SK, Carroquino MJ, Landrigan PJ: Introduction: preventable causes of cancer in children, S865. *See also* Carroquino MJ
Gamble JF: $PM_{2.5}$ and mortality in long-term prospective cohort studies: cause-effect or statistical associations? 535–549
Gandolfi J. *See* Wijeweera J
Ganey PE. *See* Mousa MA
Garcia IE. *See* Guillette EA
Garcia-Valls R. *See* Sherman J
Gardner HS Jr, Brennan LM, Toussaint MW, Rosencrance AB, Boncavage-Hennessey EM, Wolfe MJ: Environmental complex mixture toxicity assessment, S1299–S1305
Gargano M. *See* Ho Y-S
Garrett SH; Somji S, Todd JH, Sens DA: Exposure of human proximal tubule cells to CD^{2+}, Zn^{2+}, and Cu^{2+} induces metallothionein protein accumulation but not metallothionein isoform 2 mRNA, 587–595; Somji S, Todd JH, Sens MA, Sens DA: Differential expression of human metallothionein isoform 1 mRNA in human proximal tubule cells exposed to metals, 825–832
Garssen J. *See* Goettsch W
Garte S. *See* Taioli E; Whyatt RM
Gaylor DW; Bolger PM, Schwetz BA: Commentary: U.S. Food and Drug Administration perspective of the inclusion of effects of low-level exposures in safety and risk assessment, S391–S394. *See also* Goldstein LS; James SJ; Schwetz B
Gaynor M. *See* Davis DL
Gebel TW, Suchenwirth RHR, Bolten C, Dunkelberg HH: Human biomonitoring of arsenic and antimony in case of an elevated geogenic exposure, 33–39
Gehre M. *See* Arndt K
Gennings C. *See* Nesnow S
Georges A. *See* Podreka S
Gerhard I, Daniel V, Link S, Monga B, Runnebaum B: Chlorinated hydrocarbons in women with repeated miscarriages, 675–681
Gernes M. *See* Burkhart JG
Gerstenberg HM. *See* Miller AC
Gibson JE, Peterson RKD, Shurdut BA: Human exposure and risk from indoor use of chlorpyrifos, 303–306
Gierthy JF. *See* Arcaro KF
Giesy JP. *See* Mousa MA; Van den Berg M
Gladek-Yarborough A. *See* Whyatt RM
Goehl TJ: Introduction: reviews of environmental health, 1998, S3
Goettsch W, Garssen J, Slob W, de Gruijl FR, Van Loveren H: Risk assessment for the harmful effects of UVB radiation on the immunological resistance to infectious diseases, 71–77
Goh VH-H, Chia S-E, Ong C-N: Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men, 41–44
Gold DR. *See* Borja-Aburto VH; Korrick SA
Goldberg AM, Maibach HI: Dermal toxicity: alternative methods for risk assessment, S493–S496. *See also* Curren R
Goldberg SJ. *See* Johnson PD
Goldin BR. *See* Verma SP
Goldman LR: Commentary: linking research and policy to ensure children's environmental health, S857–S862; Chemicals and children's environment: what we don't know about risks, S875–S880
Goldsmith JR: Vapor recovery systems can reduce risks from MTBE [letter], A220
Goldstein BD; Robson MG, Botnick CE: Size characteristics of larger academic human environmental health programs in the United States, 615–617; Peakall D: Preface: alternative testing methodologies, S403. *See also* Charnley G
Goldstein GM. *See* Prah JD
Goldstein LS, Weyand EH, Safe S, Steinberg M, Culp SJ, Gaylor DW, Beland FA, Rodriguez LV: Tumors and DNA adducts in mice exposed to benzo[*a*]pyrene and coal tars: implications for risk assessment, S1325–S1330
Goodman JI: The traditional toxicologic paradigm is correct: dose influences mechanism, S285–S288
Goodwin B. *See* Boettger-Tong H
Gordon M, Choe N, Duffy J, Ekuan G, Heilman P, Muiznieks I, Ruszaj M, Shurtleff BB, Strand S, Wilmoth J, Newman LA: Phytoremediation of trichloroethylene with hybrid poplars, S1001–S1004
Gordon SM, Wallace LA, Callahan PJ, Kenny DV, Brinkman MC: Effect of water temperature on dermal exposure to chloroform, 337–345
Gozal E. *See* Forman HJ
Grant LD, Elias RW, Marcus AH: Preface: model validation concepts and their application to lead models, S1451
Grassman JA, Masten SA, Walker NJ, Lucier GW: Animal models of human response to dioxins, S761–S775. *See also* Hooper K
Graziano J. *See* Factor-Litvak P; Maddaloni M
Green L. *See* Vena J
Greim H. *See* Bartsch R
Gribaldo L. *See* Spielmann H
Griffin S. *See* Walker S
Groopman JD. *See* Landrigan PJ; Weaver VM
Gross R. *See* Heinze I
Groten JP, Tajima O, Feron VJ, Schoen ED: Statistically designed experiments to screen chemical mixtures for possible interactions, S1361–S1365. *See also* Feron VJ; Mumtaz MM
Grufferman S: Commentary: methodologic approaches to studying environmental factors in childhood cancer, S881–S886

Grupenhoff JT: The environment and biomedical research [editorial], A580–A581
Gschwend PM. *See* Wick LY
Gstraunthaler G. *See* Pfaller W
Guengerich FP: The Environmental Genome Project: functional analysis of polymorphisms, 365–368
Guillette EA, Meza MM, Aquilar MG, Soto AD, Garcia IE: An anthropological approach to the evaluation of preschool children exposed to pesticides in Mexico, 347–353
Guillouzo A: Liver cell models in *in vitro* toxicology, S511–S532. *See also* Spielmann H
Gulson BL, Jameson CW, Mahaffey KR, Mizon KJ, Patison N, Law AJ, Korsch MJ, Salter MA: Relationships of lead in breast milk to lead in blood, urine, and diet of the infant and mother, 667–674
Gunter EW. *See* Pirkle JL
Guo FH, Erzurum SC: Characterization of inducible nitric oxide synthase expression in human airway epithelium, S1119–S1124
Guo Y. *See* Laskin DL
Gurn P. *See* Flesch-Janys D
Gurunathan S, Robson M, Freeman N, Buckley B, Roy A, Meyer R, Bukowski J, Lioy PJ: Accumulation of chlorpyrifos on residential surfaces and toys accessible to children, 9–16
Gustafson DL. *See* Yang RSH

H

Haddad S, Krishnan K: Physiological modeling of toxicokinetic interactions: implications for mixture risk assessment, S1377–S1384
Hadzialjevic S. *See* Factor-Litvak P
Hainaut P. *See* Hernandez-Boussard T
Hales S, Lewis S, Slater T, Crane J, Pearce N: Prevalence of adult asthma symptoms in relation to climate in New Zealand, 607–610
Halliwell B. *See* Cross CE
Hamilton JW, Kaltreider RC, Bajenova OV, Ihnat MA, McCaffrey J, Turpie BW, Rowell EE, Oh J, Nemeth MJ, Pesce CA, Lariviere JP: Molecular basis for effects of carcinogenic heavy metals on inducible gene expression, S1005–S1015
Hamilton MM. *See* Miller AC
Hamilton RF Jr. *See* Holian A
Hamlin D. "Politically correct" research [letter], A584
Hanberg A. *See* Van den Berg M
Hanrahan L. *See* Anderson HA
Hansen H, De Rosa CT, Pohl H, Fay M, Mumtaz MM. Public health challenges posed by chemical mixtures, S1271–S1280. *See also* Mumtaz MM
Hansen LG: Stepping backward to improve assessment of PCD congener toxicities, S171–S189. *See also* Reeder AL
Harbell JW. *See* Curren RD
Hard GC: Recent developments in the investigation of thyroid regulation and thyroid carcinogenesis, 427–436
Hardell L, Lindström G, van Bavel B, Fredrikson M, Liljegren G: Some aspects of the etiology of non-Hodgin's lymphoma, S679–S681
Haring Sweeney M. *See* Calvert GM
Harrahy E. *See* Beaty BJ
Harry GJ, Billingsley M, Bruinink A, Campbell IL, Classen W, Dorman DC, Galli C, Ray D, Smith RA, Tilson HA: *In vitro* techniques for the assessment of neurotoxicity, S131–S158
Harshbarger JC. *See* Mikaelian I
Hart RW. *See* Frame LT; James SJ
Hartge P. *See* Colt JS
Hasegawa R. *See* Van den Berg M
Haselhorst B. *See* Hryhorczuk DO
Hassenbein D. *See* Driscoll KE; Janssen YMW
Hatton TA. *See* Sherman J
Havrilla CM. *See* Kelly SA
Hayashi Y. *See* Yamamoto S
Hayward D. *See* Hooper K
Heck DE. *See* Laskin DL
Heilman P. *See* Gordon M
Heim G. *See* Triebig G
Heindel JJ. *See* Spielmann H
Heinze I, Gross R, Stehle P, Dillon D: Assessment of lead exposure in schoolchildren from Jakarta, 499–501
Heinze J: Interregional differences undermine sperm trend conclusions [letter], A369–A370
Helgen JC. *See* Burkhart JG
Henderson GN. *See* Stacpoole PW
Hernández-Avila M, Smith D, Meneses F, Sanin LH, Hu H: The influence of bone and blood lead on plasma lead levels in environmentally exposed adults, 473–477. *See also* Farias P
Hernandez-Boussard T, Hainaut P: A specific spectrum of *p53* mutations in lung cancer from smokers: review of mutations compiled in the IARC *p53* database, 385–391
Hickman T. *See* Pirkle JL
Hill LB. *See* Korrick SA
Hill RJ Jr. *See* Anderson HA
Hill RN, Crisp TM, Hurley PM, Rosenthal SL, Singh DV: Risk assessment of thyroid follicular cell tumors, 447–457. *See also* Hurley PM
Hilts SR, Bock SE, Oke TL, Yates CL, Copes RA: Effect of interventions on children's blood lead levels, 79–83
Hioki K. *See* Yamamoto S
Hirose M. *See* Ito N
Hirsch T, Kuhlisch E, Soldan W, Leupold W: Variability of house dust mite allergen exposure in dwellings, 659–664
Ho Y-S, Magnenat J-L, Gargano M, Cao J: The nature of antioxidant defense mechanisms: a lesson from transgenic studies, S1219–S1228
Hoffmann JL. *See* Crisp TM
Hofmann D. *See* Arndt K
Hogan KA, Marcus A, Smith R, White P: Integrated exposure uptake biokinetic model for lead in children: empirical comparisons with epidemiologic data, S1557–S1567. *See also* White PD; Zaragoza L
Hoidal JR, Xu P, Hueckstedt T, Sanders KA, Pfeffer K, Sturrock AB: Lung injury and oxidoreductases, S1235–S1239
Holian A, Hamilton RF Jr, Morandi MT, Brown SD, Li L: Urban particle-induced apoptosis and phenotype shifts in human alveolar macrophages, 127–132
Holly EA. *See* Preston-Martin S
Holsapple M. *See* Acquavella J
Holt PG: Programming for responsiveness to environmental antigens that trigger allergic respiratory disease in adulthood is initiated during the perinatal period, S795–S800
Hook GER, Lucier GW: Cautionary reflections [editorial], A168–A169
Hooper K, Petreas MX, Chuvakova T, Kazbekova G, Druz N, Seminova G, Sharmanov T, Hayward D, She J, Visita P, Winkler J, McKinney M, Wade TJ, Grassman J, Stephens RD: Analysis of breast milk to assess exposure to chlorinated contaminants in Kazakstan: high levels of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in agricultural villages of southern Kazakstan, 797–806
Hopert A-C, Beyer A, Frank K, Strunck E, Wünsche W, Vollmer G: Characterization of estrogenicity of phytoestrogens in an endometrial-derived experimental model, 581–586
Howard BW. *See* Driscoll KE
Howard JB. *See* Saito HH
Hryhorczuk DO, Wallace WH, Persky V, Furner S, Webster JR Jr, Oleske D, Haselhorst B, Ellefson R, Zugerman C: A morbidity study of former pentachlorophenol-production workers, 401–408
Hsu H. *See* Miller AC
Hu H; Rabinowitz M, Smith D: Bone lead as a biological marker in epidemiologic studies of chronic toxicity: conceptual paradigms, 1–8; Bone lead as a new biologic marker of lead dose: recent findings and implications for public health, S961–S967; Grand rounds in environmental medicine [editorial], A262. *See also* Farias P; Hernández-Avila M
Huang S-L. *See* Chen P-C
Huber C. *See* Jung D
Hueckstedt T. *See* Hoidal JR
Huff J; Chan P, Waalkes M: Arsenic carcinogenicity testing [letter], A170; Waalkes M, Chan P. Arsenic: evidence of carcinogenicity in animals [letter], A582–A583
Huffman LJ. *See* Castranova V
Hughes TJ, Claxton LD, Brooks L, Warren S, Brenner R, Kremer F: Genotoxicity of bioremediated soils from the Reilly Tar site, St. Louis Park, Minnesota, S1427–S1433. *See also* Brooks LR
Huibers PDT. *See* Sherman J
Hurley PM, Hill RN, Whiting RJ: Mode of carcinogenic action of pesticides inducing thyroid follicular cell tumors in rodents, 437–445. *See also* Hill RN
Hutson DH: Bisphenol A diglycidyl ether as a potential metabolic source of bisphenol A [letter], A473
Hutter JC. *See* Luu H-MD
Hwang J-S. *See* Chen P-C

I

Ihnat MA. *See* Hamilton JW
Ika R. *See* Ford T
Imaida K. *See* Ito N

Ingbar DH. *See* Wendt CH
Ioannides C. *See* Lewis DFV
Isenberg JS. *See* Klaunig JE
Ito N, Imaida K, Hirose M, Shirai T: Medium-term bioassays for carcinogenicity of chemical mixtures, S1331–S1336

J

Jaakkola JJK. *See* Vartiainen T
Jacoby E: Environmental lead is a problem in Lima, Peru [letter], A170–A171
James MO. *See* Kleinow KM; Stacpoole PW
James SJ, Muskhelishvili L, Gaylor DW, Turturro A, Hart RW: Upregulation of apoptosis with dietary restriction: implications for carcinogenesis and aging, S307–S312
James WH: Re: the use of offspring sex ratios in the search for endocrine disruptors [letter], A472
Jameson CW. *See* Gulson BL
Janssen YMW, Driscoll KE, Timblin CR, Hassenbein D, Mossman BT: Modulation of mitochondrial gene expression in pulmonary epithelial cells exposed to oxidants, S1191–S1195. *See also* Driscoll KE
Jareño EJ. *See* Romero FJ
Jedrychowski W. *See* Whyatt RM
Jensen TK. *See* Weidner I
Jetten TH. *See* Patz JA
Ji R. *See* Ando M
Jiang J. *See* Klaunig JE
Jiménez-Capdeville ME. *See* Rodriguez VM
Johansson M, Nilsson S, Lund B-O: Interactions between methylsulfonyl PCBs and the glucocorticoid receptor, 769–772
Johnsen HG. *See* Eide I
Johnson PD, Dawson BV, Goldberg SJ: A review: trichloroethylene metabolites: potential cardiac teratogens, S995–S999
Jones DE. *See* De Rosa CT
Joshi V. *See* Sharma S
Judy DJ. *See* Castranova V
Jung D, Berg PA, Edler L, Ehrenthal W, Fenner D, Flesch-Janys D, Huber C, Klein R, Koitka C, Lucier G, Manz A, Muttray A, Needham L, Päpke O, Pietsch M, Portier C, Patterson D, Prellwitz W, Rose DM, Thews A, Konietzko J: Immunologic findings in workers formerly exposed to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin and its congeners, S689–S695

K

Kabat GC. *See* Bradlow HL
Kagan E. *See* Zhu S
Kaiser KLE: Correlations of *Vibrio fischeri* bacteria test data with bioassay data for other organisms, S583–S591. *See also* Walker C
Kalita JC. *See* Milligan SR
Kaltreider RC. *See* Hamilton JW
Kamrin MA: Environmental health, risk assessment, and democracy [editorial], A216
Kao Y-C, Zhou C, Sherman M, Laughton CA, Chen S: Molecular basis of the inhibition of human aromatase (estrogen synthetase) by flavone and isoflavone phytoestrogens: a site-directed mutagenesis study, 85–92
Karagas MR, Tosteson TD, Blum J, Morris JS, Baron JA, Klaue B: Design of an epidemiologic study of drinking water arsenic exposure and skin and bladder cancer risk in a U.S. population, S1047–S1050
Karmaus W. *See* von Manikowsky S
Karol MH: Target organs and systems: methodologies to assess immune system function, S533–S540. *See also* Spielmann H
Katsnelson BA: Re: arsenic carcinogenicity testing [letter], A582
Kaufmann RB. *See* Pirkle JL
Kauppinen T. *See* Vena J
Kavlock RJ: Research highlight: what's happening to our frogs? 773–774. *See also* Reiter LW
Kazbekova G. *See* Hooper K
Kelly SA, Havrilla CM, Brady TC, Abramo KH, Levin ED: Oxidative stress in toxicology: established mammalian and emerging piscine model systems, 375–384
Kelsey KT. *See* Alexander BH
Keng T. *See* Allen JB
Kennedy SW. *See* Van den Berg M
Kenny DV. *See* Gordon SM
Kheifets L. *See* McCann J
Kilgus T. *See* Orloff KG
Kimball KD. *See* Korrick SA
Kimber I. *See* Acquavella J
Kirkland JL. *See* Boettger-Tong H
Kishi HS. *See* Pereira LAA
Klaassen CD, Liu J: Induction of metallothionein as an adaptive mechanism affecting the magnitude and progression of toxicological injury, S297–S300
Klareskog L. *See* Sverdrup B
Klaue B. *See* Karagas MR
Klaunig JE, Xu Y, Isenberg JS, Bachowski S, Kolaja KL, Jiang J, Stevenson DE, Walborg EF Jr: The role of oxidative stress in chemical carcinogenesis, S289–S295
Klein R. *See* Jung D
Klein W. *See* Walker C
Kleinau S. *See* Sverdrup B
Kleinjans JCS. *See* Vermeer ITM
Kleinow KM, James MO, Tong Z, Venugopalan CS: Bioavailability and biotransformation of benzo(*a*)pyrene in an isolated perfused *in situ* catfish intestinal preparation, 155–166
Kline J. *See* Factor-Litvak P
Kluz T. *See* Zhitkovich A
Knecht U. *See* Menzel HM
Knutsen SF. *See* Beeson WL
Kodavanti PRS, Ward TR: Interactive effects of environmentally relevant polychlorinated biphenyls and dioxins on [^{3}H] phorbol ester binding in rat cerebellar granule cells, 479–486
Kodavanti UP, Costa DL, Bromberg PA: Rodent models of cardiopulmonary disease: their potential applicability in studies of air pollutant susceptibility, S111–S130
Kogevinas M. *See* Kramárová E; Vena J
Koitka C. *See* Jung D
Koizumi H. *See* Yamamoto S
Kolaja KL. *See* Klaunig JE
Kondo T. *See* Ando M
Konietzko J. *See* Jung D
Korrick SA; Neas LM, Dockery DW, Gold DR, Allen GA, Hill LB, Kimball KD, Rosner BA, Speizer FE: Effects of ozone and other pollutants on the pulmonary function of adult hikers, 93–99; Altshul L: High breast milk levels of polychlorinated biphenyls (PCBs) among four women living adjacent to a PCB-contaminated waste site, 513–518
Korsch MJ. *See* Gulson BL
Kramárová E, Kogevinas M, Anh CT, Cau HD, Dai LC, Stellman SD, Parkin DM: Exposure to Agent Orange and occurrence of soft-tissue sarcomas or non-Hodgkin lymphomas: an ongoing study in Vietnam, S671–S678
Krejsa CM, Schieven GL: Impact of oxidative stress on signal transduction control by phosphotyrosine phosphatases, S1179–S1184
Kremer F. *See* Brooks LR; Hughes TJ
Krishnan K. *See* Haddad S
Krumbiegel P. *See* Arndt K
Krunkosky TM. *See* Martin LD
Kubiak T. *See* Van den Berg M
Kuhlisch E. *See* Hirsch T
Kulig K: Lifetime risk from polyurethane covered breast implants [letter], A526–A527
Kuo H-W. *See* Chen P-C
Kurokawa Y. *See* Yamamoto S

L

Ladics G. *See* Acquavella J
Lagadic L, Caquet T: Invertebrates in testing of environmental chemicals: are they alternatives?, S593–S611. *See also* Walker C
Lai Y-M. *See* Chen P-C
Lamb DJ. *See* Orejuela F
Lambert GR. *See* Nesnow S
Landi MT, Consonni D, Patterson DG Jr, Needham LL, Lucier GW, Brambilla P, Cazzaniga MA, Mocarelli P, Pesatori AC, Bertazzi PA, Caporaso NE: 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin plasma levels in Seveso 20 years after the accident, 273–277
Landrigan PJ, Carlson JE, Bearer CF, Cranmer JS, Bullard RD, Etzel RA, Groopman JD McLachlan JA, Perera FP, Reigart JR, Robison L, Schell L, Suk WA: Commentary: Children's health and the environment: a new agenda for prevention research, S787–S794. *See also* Carroquino MJ; Claudio L; Galson SK
Lapp LN. *See* Castranova V
Lariviere JP. *See* Hamilton JW
Larsen JC. *See* Van den Berg M
Laskin DL, Sunil V, Guo Y, Heck DE, Laskin JD. Increased nitric oxide synthase in the lung after ozone inhalation is associated with activation of NF-κB, S1175–S1178
Laskin JD. *See* Laskin DL

Lasley BL, Overstreet JW: Biomarkers for assessing human female reproductive health, an interdisciplinary approach, S955–S960
Laughton CA. *See* Kao Y-C
Law AJ. *See* Gulson BL
Leakey JEA. *See* Frame LT
Leggett RW. *See* Pounds JG
Lekic V. *See* Factor-Litvak P
Leupold W. *See* Hirsch T
Levin ED. *See* Kelly SA
Lewis DFV, Ioannides C, Parke DV: Cytochromes P450 and species differences in xenobiotic metabolism and activation of carcinogen, 633–641
Lewis S. *See* Hales S
Li L. *See* Holian A
Liang C. *See* Ando M
Licht J. *See* Carroquino MJ
Lieberman MW. *See* Ballatori N
Liem AKD. *See* Van den Berg M
Liljegren G. *See* Hardell L
Limpus CJ. *See* Podreka S
Lin PS. *See* Verma SP
Lindstrom AB. *See* Pleil JD
Lindström G. *See* Hardell L
Link S. *See* Gerhard I
Lioy PJ. *See* Gurunathan S; Stern AH
Lipshultz LI. *See* Orejuela F
Little J. *See* Preston-Martin S
Littorin M. *See* Vena J
Liu J. *See* Klaassen CD
Liu S. *See* Cheng L
Liu X. *See* Factor-Litvak P
Livengood D. *See* Miller AC
Loffredo CA, Silbergeld EK, Parascandola M: The Environmental Genome Project: suggestions and concerns [letter], A368
LoIacono N. *See* Factor-Litvak P; Maddaloni M
London S. *See* Ursin G
Long NC. *See* Brain JD
Loomis D. *See* Borja-Aburto VH; Pereira LAA
Louie S. *See* Cross CE
Loveless S. *See* Acquavella J
Lubin F. *See* Preston-Martin S
Lubin J. *See* Alavanja MCR
Lucier GW; Barrett JC: Public health policy and the National Toxicology Program [editorial], A470–A471; Schecter A: Human exposure assessment and the National Toxicology Program, 623–627. *See also* Bucher JR; Burkhart JG; Grassman JA; Hook GER; Jung D; Landi MT; Reiter LW
Ludwig H. *See* Triebig G
Lund B-O. *See* Johansson M
Lund E. *See* Smith-Sivertsen T
Luster MI: Inflammation, tumor necrosis factor, and toxicology [editorial], A418–A419
Lutz WK, Fekete T, Vamvakas S: Position- and base pair-specific comparisons of *p53* mutation spectra in human tumors: elucidation of relationships between organs for cancer etiology, 207–211
Luu H-MD, Hutter JC, Bushar HF: A physiologically based pharmacokinetic model for 2,4-toluenediamine leached from polyurethane foam-covered breast implants, 393–400
Lynch CF. *See* Alavanja MCR
Lynge E: Cancer incidence in Danish phenoxy herbicide workers, 1947-1993, S683–S688. *See also* Vena J

M

Mac MJ. *See* Reiter LW
Maddaloni M, LoIacono N, Manton W, Blum C, Drexler J, Graziano J: Bioavailability of soilborne lead in adults, by stable isotope dilution, S1589–S1594. *See also* White PD
Madhukar BV. *See* Mousa MA
Mage D. *See* Alavanja MCR
Magnenat J-L. *See* Ho Y-S
Magner J. *See* Burkhart JG
Mahaffey KR: Predicting blood lead concentrations from lead in environmental media, S1485–S1493. *See also* Gulson BL
Maher B. *See* Podreka S
Maibach HI. *See* Goldberg AM
Maier A, Micka J, Miller K, Denko T, Chang C-Y, Nebert DW, Puga A: Aromatic hydrocarbon receptor polymorphism: development of new methods to correlate genotype with phenotype, 421–426
Mäkelä S. *See* Boettger-Tong H
Manchester DK. *See* Whyatt RM
Manton W. *See* Maddaloni M
Manuel M. *See* Zhu S
Manz A. *See* Ernst M; Jung D
Marafante E. *See* Stokes WS
Marcus A. *See* Hogan K
Marcus AH, Elias RW: Some useful statistical methods for model validation, S1541–S1550. *See also* Grant LD; White PD
Marín N. *See* Romero FJ
Marshall EG. *See* Fitzgerald EF
Martens WJM: Health impacts of climate change and ozone depletion: an ecoepidemiologic modeling approach, S241–S251. *See also* Patz JA
Martin LD, Krunkosky TM, Voynow JA, Adler KB: The role of reactive oxygen and nitrogen species in airway epithelial gene expression, S1197–S1203
Martineau D. *See* Mikaelian I
Mass MJ. *See* Nesnow S
Masten SA. *See* Grassman JA
Masten SJ. *See* Weis LM
Matalon S. *See* Zhu S
Mathews JD. *See* Vena J
Matsushima S. *See* Ando M
McCaffrey J. *See* Hamilton JW
McCann J, Kheifets L, Rafferty C: Cancer risk assessment of extremely low frequency electric and magnetic fields: a critical review of methodology, 701–717
McCloskey JT. *See* Newman MC
McDonnell CJ. *See* Alavanja MCR
McDougal A, Safe S: Induction of 16α-/2-hydroxyestrone metabolite ratios in MCF-7 cells by pesticides, carcinogens, and antiestrogens does not predict mammary carcinogens, 203–206
McGregor DB, Partensky C, Wilbourn J, Rice JM: An IARC evaluation of polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans as risk factors in human carcinogenesis, S755–S760
McKinney M. *See* Hooper K
McLachlan JA. *See* Landrigan PJ; Cheek AO
Mehendale HM. *See* Dalu A; Soni MG
Melillo J. *See* Reiter LW
Melman ST, Nimeh JW, Anbar RD: Prevalence of elevated blood lead levels in an inner-city pediatric clinic population, 655–657
Melnick RL. *See* Reiter LW
Ménard C. *See* Mikaelian I
Meneses F. *See* Hernández-Avila M
Meneses-Gonzalez F. *See* Farias P
Menzel HM, Bolm-Audorff U, Turcer E, Bienfait HG, Albracht G, Walter D, Emmel C, Knecht U, Päpke O: Occupational exposure to dioxins by thermal oxygen cutting, welding, and soldering of metals, S715–S722
Messerer P, Zober A, Becher H: Blood lipid concentrations of dioxins and furans in a sample of BASF employees included in the IARC registry of workers exposed to phenoxy acid herbicides and/or chlorophenols, S733–S735
Metcalf S. *See* Orloff KG
Metzler M. *See* Perez P
Meyer R. *See* Gurunathan S
Meza MM. *See* Guillette EA
Micka J. *See* Maier A
Mickel MH: Structure, use, and validation of the IEUBK model, S1531–S1534
Middleton DC: Chronic beryllium disease: uncommon disease, less common diagnosis, 765–767
Mielke HW, Reagan PL: Soil is an important pathway of human lead exposure, S217–S229
Mikaelian I, de Lafontaine Y, Ménard C, Tellier P, Harshbarger JC, Martineau D: Neoplastic and nonneoplastic hepatic changes in lake whitefish (*Coregonus clupeaformis*) from the St. Lawrence River, Quebec, Canada, 179–183
Miller AC, Blakely WF, Livengood D, Whittaker T, Xu J, Ejnik JW, Hamilton MM, Parlette E, St. John T, Gerstenberg HM, Hsu H: Transformation of human osteoblast cells to the tumorigenic phenotype by depleted uranium-uranyl chloride, 465–471
Miller K. *See* Maier A
Milligan SR, Balasubramanian AV, Kalita JC: Relative potency of xenobiotic estrogens in an acute *in vivo* mammalian assay, 23–26
Mitsumori K. *See* Yamamoto S
Mizon KJ. *See* Gulson BL
Mocarelli P. *See* Landi MT
Modan B. *See* Preston-Martin S
Moffatt S. *See* Pless-Mulloli T

Mohamed MK. *See* Blaauboer BJ
Møller H. *See* Weidner I
Monga B. *See* Gerhard I
Moore J. *See* Blaauboer BJ
Morandi MT. *See* Holian A
Morello-Frosch R. *See* Woodruff TJ
Morgenstern I. *See* Ernst M
Morris JS. *See* Karagas MR
Morris RD, Naumova EN: Carbon monoxide and hospital admissions for congestive heart failure: evidence of an increased effect at low temperatures, 649–653
Morrow MS. *See* Crisp TM
Mossman BT. *See* Driscoll KE; Janssen YMW
Mousa MA, Ganey PE, Quensen JF III, Madhukar BV, Chou K, Giesy JP, Fischer LJ, Boyd SA: Altered biologic activities of commercial polychlorinated biphenyl mixtures after microbial reductive dechlorination, S1409–S1418
Mueller BA. *See* Preston-Martin S
Mueller PW, Price RG, Finn WF: New approaches for detecting thresholds of human nephrotoxicity using cadmium as an example, 227–230
Muiznieks I. *See* Gordon M
Mumtaz MM, De Rosa CT, Groten JP, Feron VJ, Hansen H, Durkin PR. Estimation of toxicity of chemical mixtures through modeling of chemical interactions, S1353–S1360. *See also* Hansen H; Yang RSH
Murphy JE. *See* Reeder AL
Murthy L. *See* Boettger-Tong H
Mushak P: Research highlight: new findings on sources and biokinetics of lead in human breast milk: mother's bone lead can target both nursing infant and fetus, 629–631; Uses and limits of empirical data in measuring and modeling human lead exposure, S1467–S1484
Muskhelishvili L. *See* James SJ
Muttray A. *See* Jung D
Myers GJ, Davidson PW: Prenatal methylmercury exposure and children: neurologic, developmental, and behavioral research, S841–S847. *See also* Axtell CD

N

Nagel SC. *See* Ashby J
Natarajan V, Scribner WM, Al-Hassani M, Vepa S: Reactive oxygen species signaling through regulation of protein tyrosine phosphorylation in endothelial cells, S1205–S1212
Naumova EN. *See* Morris RD
Neas LM. *See* Korrick SA
Nebert DW. *See* Maier A
Needham LL. *See* Anderson HA; Jung D; Landi MT
Nemeth MJ. *See* Hamilton JW
Nermell B. *See* Concha G
Nesnow S, Mass MJ, Ross JA, Galati AJ, Lambert GR, Gennings C, Carter WH Jr, Stoner GD: Lung tumorigenic interactions in strain A/J mice of five environmental polycyclic aromatic hydrocarbons, S1337–S1346
Nestich S. *See* Bolger R
Neuberger M. *See* Vena J
Neumann CM, Forman DL, Rothlein JE: Hazard screening of chemical releases and environmental equity analysis of populations proximate to Toxic Release Inventory facilities in Oregon, 217–226
Neus H. *See* von Manikowsky S
Newman LA. *See* Gordon M
Newman MC, McCloskey JT, Tatara CP: Using metal-ligand binding characteristics to predict metal toxicity: quantitative ion character–activity relationships (QICARs), S1419–S1425
Nichols DK. *See* Reeder AL
Niemi WD. *See* Carpenter DO
Nilsson S. *See* Johansson M
Nimeh JW. *See* Melman ST
Nolt C. *See* Van den Berg M
Nomura T. *See* Yamamoto S
Norseth T. *See* Smith-Sivertsen T
Nuckols J. *See* Beaty BJ

O

O'Flaherty EJ: A physiologically based kinetic model for lead in children and adults, S1495–S1503
Oberdörster E. *See* Cheek AO
Odegaard E, Yang C-R, Boothman DA: DNA-dependent protein kinase does not play a role in adaptive survival responses to ionizing radiation, S301–S305
Odum J. *See* Ashby J
Oh J. *See* Hamilton JW
Oke TL. *See* Hilts SR
Olea N. *See* Perez P
Olea-Serrano F. *See* Perez P
Oleske D. *See* Hryhorczuk DO
Olson J. *See* Anderson HA
Olson KE. *See* Beaty BJ
Ong C-N. *See* Ding W-X; Goh VH-H
Orejuela F, Lipshultz LI, Lamb DJ: Debate about sperm count decline [letter], A370
Orem WH. *See* Tatu CA
Oreskes N. Evaluation (not validation) of quantitative models, S1453–S1460
Orloff KG, Batts-Osborne D, Kilgus T, Metcalf S, Cooper M: Antibodies to toluene diisocyanate in an environmentally exposed population, 665–666
Osius N. *See* von Manikowsky S
Ottman R. *See* Whyatt RM
Overstreet JW. *See* Lasley BL
Ozonoff D. *See* Aschengrau A

P

Pachen DMFA. *See* Vermeer ITM
Palazuelos E. *See* Farias P
Pang S. *See* Carpenter DO
Päpke O: PCDD/PCDF: human background data for Germany, a 10-year experience, S723–S731. *See also* Jung D; Menzel HM; Triebig G; von Manikowsky S
Parascandola M. *See* Loffredo CA
Parchment RE: Alternative testing systems for evaluating noncarcinogenic, hematologic toxicity, S541–S557. *See also* Spielmann H
Parke DV. *See* Lewis DFV
Parkin DM. *See* Kramárová E
Parlette E. *See* Miller AC
Partensky C. *See* McGregor DB
Paschal DC. *See* Anderson HA; Pirkle JL
Passchier W. *See* Passchier-Vermeer W
Passchier-Vermeer W, Passchier W: Environmental noise exposure [letter], A527–A528
Patel YM. *See* Crisp TM
Patison N. *See* Gulson BL
Patterson DG Jr. *See* Anderson HA; Jung D; Landi MT
Patz JA, Martens WJM, Focks DA, Jetten TH: Dengue fever epidemic potential as projected by general circulation models of global climate change, 147–153
Paulu C. *See* Aschengrau A
Peakall D. *See* Goldstein BD; Walker C
Pearce N. *See* Hales S; Vena J
Pedraza V. *See* Perez P
Pennybacker M. *See* Alavanja MCR
Peraza MA, Ayala-Fierro F, Barber DS, Casarez E, Rael LT: Effects of micronutrients on metal toxicity, S203–S216
Pereira LAA, Loomis D, Conceição GMS, Braga ALF, Arcas RM, Kishi HS, Singer JM, Böhm GM, Saldiva PHN: Association between air pollution and intrauterine mortality in São Paulo, Brazil, 325–329
Perera FP. *See* Carroquino MJ; Landrigan PJ; Whyatt RM
Perez P, Pulgar R, Olea-Serrano F, Villalobos M, Rivas A, Metzler M, Pedraza V, Olea N: The estrogenicity of bisphenol A-related diphenylalkanes with various substituents at the central carbon and the hydroxyl groups, 167–174
Peris-Bonet R. *See* Preston-Martin S
Persky V. *See* Hryhorczuk DO
Pesatori AC. *See* Bertazzi PA; Landi MT; Vena J
Pesce CA. *See* Hamilton JW
Peters WA. *See* Saito HH
Peterson RE. *See* Van den Berg M
Peterson RKD. *See* Gibson JE
Petersson L. *See* Friis L
Petreas MX. *See* Hooper K
Pfaller W, Gstraunthaler G: Nephrotoxicity testing *in vitro*—what we know and what we need to know, S559–S569. *See also* Spielmann H
Pfeffer K. *See* Hoidal JR
Phillimore P. *See* Pless-Mulloli T
Pietsch M. *See* Jung D
Pike MC. *See* Ursin G
Pirkle JL, Kaufmann RB, Brody DJ, Hickman T, Gunter EW, Paschal DC. Exposure of the U.S. population to lead, 1991–1994, 745–750
Pleil JD, Fisher JW, Lindstrom AB: Trichloroethene levels in human blood and exhaled breath from controlled inhalation exposure, 573–580

Pless-Mulloli T, Phillimore P, Moffatt S, Bhopal R, Foy C, Dunn C, Tate J: Lung cancer, proximity to industry, and poverty in northeast England, 189–196
Podreka S, Georges A, Maher B, Limpus CJ: The environmental contaminant DDE fails to influence the outcome of sexual differentiation in the marine turtle *Chelonia mydas*, 185–188
Poellinger L. *See* Van den Berg M
Pogoda JM. *See* Preston-Martin S
Pohl HR. *See* De Rosa CT; Hansen H
Pollycove M: Commentary: nonlinearity of radiation health effects, S363–S368
Popovac D. *See* Factor-Litvak P
Portier C. *See* Jung D
Pounds JG, Leggett RW: The ICRP age-specific biokinetic model for lead: validations, empirical comparisons, and explorations, S1505–S1511. *See also* Chen DG
Prah JD, Case MW, Goldstein GM: 1998 Equivalence of sensory responses to single and mixed volatile organic compounds at equimolar concentrations, 739–744
Prellwitz W. *See* Jung D
Preston-Martin S, Pogoda JM, Mueller BA, Lubin F, Modan B, Holly EA, Filippini G, Cordier S, Peris-Bonet R, Choi W, Little J, Arslan A: Results from an international case–control study of childhood brain tumors: the role of prenatal vitamin supplementation, S887–S892
Preteni E. *See* Factor-Litvak P
Price RG. *See* Mueller PW
Prieto Peraita P. *See* Spielmann H
Privalle C. *See* Allen JB
Propst TL. *See* Burkhart JG
Puga A. *See* Maier A
Pulgar R. *See* Perez P

Q

Quann RJ: Modeling the chemistry of complex petroleum mixtures, S1441–S1448
Quensen JF III. *See* Mousa MA

R

Rabinowitz M: Historical perspective on lead biokinetic models, S1461–S1465
Rabinowitz M. *See* Hu H
Rael LT. *See* Peraza MA
Rafferty C. *See* McCann J
Rall D. *See* Blaauboer BJ
Ramamoorthy K. *See* Gaido K
Randall MC. *See* Whyatt RM
Rao PS. *See* Dalu A
Ray D. *See* Harry GJ
Ray PK: Protective role of stress genes [editorial], A217–A218
Rayburn AL. *See* Taets C
Rayms-Keller A. *See* Beaty BJ
Reagan PL. *See* Mielke HW
Reeder AL, Foley GL, Nichols DK, Hansen LG, Wikoff B, Faeh S, Eisold J, Wheeler MB, Warner R, Murphy JE, Beasley VR: Forms and prevalence of intersexuality and effects of environmental contaminants on sexuality in cricket frogs (*Acris crepitans*), 261–266
Reigart JR: Our children and the environment [editorial], A263–A264. *See also* Landrigan PJ
Reiter LW, DeRosa C, Kavlock RJ, Lucier G, Mac MJ, Melillo J, Melnick RL, Sinks T, Walton BT: The U.S. federal framework for research on endocrine disruptors and an analysis of research programs supported during fiscal year 1996, 105–113
Repetto R; Baliga S: Response to the ACPA's critique [letter], A52–A53; Repetto's response to Acquavella [letter], A54
Reuter U. *See* Bartsch R
Rice JM. *See* McGregor DB
Richter C: Nitric oxide and its congeners in mitochondria: implications for apoptosis, S1125–S1130
Rivas A. *See* Perez P
Robison L. *See* Landrigan PJ
Robson MG. *See* Goldstein BD; Gurunathan S
Rodier DJ. *See* Crisp TM
Rodriguez LV. *See* Goldstein LS
Rodriguez VM, Dufour L, Carrizales L, Diaz-Barriga F, Jiménez-Capdeville ME: Effects of oral exposure to mining waste on *in vivo* dopamine release from rat striatum, 487–491
Rohtagi A. *See* Sharma S
Romá J. *See* Romero FJ
Romero B. *See* Romero FJ
Romero FJ, Bosch-Morell F, Romero MJ, Jareño EJ, Romero B, Marín N, Romá J: Lipid peroxidation products and antioxidants in human disease, S1229–S1234
Romero MJ. *See* Romero FJ
Rose DM. *See* Jung D
Rosenbaum A. *See* Woodruff TJ
Rosencrance AB. *See* Gardner HS Jr.
Rosenthal GJ, Corsini E, Simeonova P: Selected new developments in asbestos immunotoxicity, S159–S169
Rosenthal SL. *See* Hill RN
Rosner BA. *See* Korrick SA
Ross JA. *See* Nesnow S
Rossing MA: Genetic influences on smoking: candidate genes, 231–238
Rothlein JE. *See* Neumann CM
Rowat SC: Integrated defense system overlaps as a disease model: with examples for multiple chemical sensitivity, S85–S109
Rowell EE. *See* Hamilton JW
Roy A. *See* Gurunathan S
Rubenstein E. *See* Farias P
Rummel AM. *See* Weis LM
Runnebaum B. *See* Gerhard I
Ruszaj M. *See* Gordon M

S

Saarikoski S. *See* Vartiainen T
Safe SH: Hazard and risk assessment of chemical mixtures using the toxic equivalency factor approach, S1051–S1058. *See also* Gaido K; Goldstein LS; McDougal A; Van den Berg M
Sagunski H. *See* von Manikowsky S
Saito HH, Bucalá V, Howard JB, Peters WA: Thermal removal of pyrene contamination from soil: basic studies and environmental health implications, S1097–S1107
Sakurai S. *See* Ando M
Saldiva PHN. *See* Pereira LAA
Salter MA. *See* Gulson BL
Salvan A. *See* Thomaseth K
Sanders KA. *See* Hoidal JR
Sandler DP. *See* Alavanja MCR
Sanin LH. *See* Hernández-Avila M
Sanjurjo E. *See* Claudio L
Santella RM. *See* Whyatt RM
Sapir DG. *See* Sharma S
Saracci R. *See* Vena J
Sasco AJ. *See* Davis DL
Saunders DG. *See* Byrne SL
Savitz DA. *See* Shimokura GH
Savrin JE. *See* Stern AH
Schaeffer JE. *See* Crisp TM
Schecter A: Commentary: A selective historical review of congener-specific human tissue measurements as sensitive and specific biomarkers of exposure to dioxins and related compounds, S737–S742. *See also* Lucier GW
Schell LM, Tarbell AM: Commentary: a partnership study of PCBs and the health of Mohawk youth: lessons from our past and guidelines for our future, S833–S840. *See also* Fitzgerald EF; Landrigan PJ
Schieven GL. *See* Krejsa CM
Schoen ED. *See* Groten JP
Schrenk D. *See* Van den Berg M
Schümann M. *See* von Manikowsky S
Schwetz BA; Gaylor D: Alternative tests: carcinogenesis as an example, S467–S471. *See also* Blaauboer BJ; Gaylor DW
Scribner WM. *See* Natarajan V
Scrudato R. *See* Chiarenzelli J
Seltzer JM. *See* Delfino RJ
Seminova G. *See* Hooper K
Sens DA. *See* Garrett SH
Sens MA. *See* Garrett SH
Seth N. *See* Yadav YS
Sethi GR. *See* Sharma S
Shah NS, Billiar TR: Role of nitric oxide in inflammation and tissue injury during endotoxemia and hemorrhagic shock, A1139–A1143
Shamlaye C. *See* Axtell CD
Shankar R. *See* Sharma S
Shannon K: Genetic predispositions and childhood cancer, S801–S806

Shannon M: Lead poisoning from an unexpected source in a 4-month-old infant, 313–316
Sharma R. *See* Wendt CH
Sharma S. Sethi GR, Rohtagi A, Chaudhary A, Shankar R, Bapna JS, Joshi V, Sapir DG: Indoor air quality and acute lower respiratory infection in Indian urban slums, 291–297
Sharmanov T. *See* Hooper K
Sharpe RM, Turner KJ, Sumpter JP: Endocrine disruptors and testis development [letter], A220–A221
She J. *See* Hooper K
Sheffield S. *See* Walker C
Shelby MD. *See* Burkhart JG
Shen H-M. *See* Ding W-X
Shen Y. *See* Ding W-X
Sherman J, Chin B, Huibers PDT, Garcia-Valls R, Hatton TA: Solvent replacement for green processing, S253–S271
Sherman LR. *See* Claudio L
Sherman M. *See* Kao Y-C
Shi X. *See* Vallyathan V
Shimokura GH, Savitz DA, Symanski E: Assessment of water use for estimating exposure to tap water contaminants, 55–59
Shine J. *See* Ford T
Shirai T. *See* Ito N
Shurdut BA. *See* Byrne SL; Gibson JE
Shurtleff BB. *See* Gordon M
Shuster EL. *See* Bopp RF
Sielken RL Jr, Stevenson DE: Modeling to incorporate defense mechanisms into the estimation of dose responses, S341–S348
Silbergeld EK. *See* Loffredo CA
Simeonova P. *See* Rosenthal GJ
Simpson HJ. *See* Bopp RF
Singer JM. *See* Pereira LAA
Singh DV. *See* Hill RN
Sinks T. *See* Reiter LW
Skakkebæk NE. *See* Weidner I
Slater T. *See* Hales S
Slavkovich V. *See* Factor-Litvak P
Sloane-Reeves J. *See* Axtell CD
Slob W. *See* Goettsch W
Smith D. *See* Hernández-Avila M; Hu H
Smith KR. *See* Blaauboer BJ
Smith L. *See* Zeiger E
Smith MT, Zhang L: Biomarkers of leukemia risk: benzene as a model, S937–S946
Smith R. *See* Hogan K
Smith RA. *See* Harry GJ
Smith Sonneborn J, Barbee SA: Exercise-induced stress response as an adaptive tolerance strategy, S325–S330
Smith-Sivertsen T, Tchachtchine V, Lund E, Bykov V, Thomassen Y, Norseth T: Urinary nickel excretion in populations living in the proximity of two Russian nickel refineries: a Norwegian–Russian population-based study, 503–511
Soldan T. *See* Walker C
Soldan W. *See* Hirsch T
Somji S. *See* Garrett SH
Soni MG, Mehendale HM: Role of tissue repair in toxicologic interactions among hepatotoxic organics, S1307–S1317
Sorci J. *See* Ford T
Soto AD. *See* Guillette EA
Spannhake K. *See* von Manikowsky S
Spear TM, Svee W, Vincent JH, Stanisich N: Chemical speciation of lead dust associated with primary lead smelting, 565–571
Speizer FE. *See* Korrick SA
Spielmann H, Bochkov NP, Costa L, Gribaldo L, Guillouzo A, Heindel JJ, Karol M, Parchment R, Pfaller W, Prieto Peraita P, Zacharewski T: Joint report: alternative testing methodologies for organ toxicity, S427–S439; Reproduction and development, S571–S576
Šrám RJ: Effect of glutathione *S*-transferase M1 polymorphisms on biomarkers of exposure and effects, S231–S239
St. John T. *See* Miller AC
Stacpoole PW, Henderson GN, Yan Z, James MO: Clinical pharmacology and toxicology of dichloroacetate, S989–S994
Stancel GM. *See* Boettger-Tong H
Stanisich N. *See* Spear TM
Steen WC. *See* Alavanja MCR
Steenland K. *See* Vena J
Stehle P. *See* Heinze I
Steinberg M. *See* Goldstein LS
Steindorf K. *See* Becher H; Flesch-Janys D
Stellman SD. *See* Kramárová E
Stephens RD. *See* Hooper K
Stern AH, Fagliano JA, Savrin JE, Freeman NCG, Lioy PJ: The association of chromium in household dust with urinary chromium in residences adjacent to chromate production waste sites, 833–839
Sterzl-Eckert H. *See* Bartsch R
Stevenson DE. *See* Klaunig JE; Sielken RL Jr.
Stokes WS, Marafante E: Introduction and summary of the 13th meeting of the Scientific Group on Methodologies for the Safety Evaluation of Chemicals (SGOMSEC): alternative testing methodologies, S405–S412. *See also* Blaauboer BJ
Stoner GD. *See* Nesnow S
Strand S. *See* Gordon M
Strauss BS: Our contribution to the public fear of cancer [editorial], A312–A313
Street DH. *See* Delfino RJ
Strunck E. *See* Hopert A-C
Sturrock AB. *See* Hoidal JR
Succop P, Bornschein R, Brown K, Tseng C-Y: An empirical comparison of lead exposure pathway models, S1577–S1583
Suchenwirth RHR. *See* Gebel TW
Sugimura T: A new concept of co-mutagenicity from a phenomenon forgotten for the past two decades: is it more important than previously expected? [editorial], A522–A523
Suk WA; Anderson BE, Thompson C: Introduction: integrated approaches for studying hazardous substances, S935–S936; Collman GW: Commentary: genes and the environment: their impact on children's health, S817–S820. *See also* Fitzgerald EF; Landrigan PJ; Yang RSH
Sumpter JP. *See* Sharpe RM
Sunil V. *See* Laskin DL
Svee W. *See* Spear TM
Sverdrup B, Klareskog L, Kleinau S: Common commercial cosmetic products induce arthritis in the DA rat, 27–32
Swan SH; Elkin E, Fenster L: Response: a reanalysis of sperm density data [letter], A370–A371; Elkin EP, Fenster L: Response: sperm density declines [letter], A420–A421
Symanski E. *See* Shimokura GH

T

Tadano M. *See* Ando M
Taets C, Aref S, Rayburn AL: The clastogenic potential of triazine herbicide combinations found in potable water supplies, 197–201
Taioli E, Zocchetti C, Garte S: Models of interaction between metabolic genes and environmental exposure in cancer susceptibility, 67–70
Tajima O. *See* Groten JP
Tamura K. *See* Ando M
Tanaka S. *See* Zhu S
Tarbell AM. *See* Schell LM
Tatara CP. *See* Newman MC
Tate J. *See* Pless-Mulloli T
Tatu CA, Orem WH, Finkelman RB, Feder GL: The etiology of Balkan endemic nephropathy: still more questions than answers, 689–700
Tchachtchine V. *See* Smith-Sivertsen T
Tellier P. *See* Mikaelian I
Tennant RW: Evaluation and validation issues in the development of transgenic mouse carcinogenicity bioassays, S473–S476. *See also* Blaauboer BJ
The Great Lakes Consortium. *See* Anderson HA
Thews A. *See* Jung D
Thiele JJ. *See* Cross CE
Thomas RS. *See* Yang RSH
Thomaseth K, Salvan A: Estimation of occupational exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin using a minimal physiologic toxicokinetic model, S743–S753
Thomassen Y. *See* Smith-Sivertsen T
Thompson C. *See* Suk WA
Tillitt D. *See* Van den Berg M
Tilson HA: Developmental neurotoxicity of endocrine disruptors and pesticides: identification of information gaps and research needs, S807–S811. *See also* Harry GJ
Timblin CR. *See* Janssen YMW
Tinwell H. *See* Ashby J
Tobia A. *See* Acquavella J
Todd JH. *See* Garrett SH

Togna GI. *See* Caprino L
Tong Z. *See* Kleinow KM
Torres M. *See* Forman HJ
Torres T. *See* Claudio L
Tosteson TD. *See* Karagas MR
Touart LW. *See* Crisp TM
Toussaint MW. *See* Gardner HS Jr.
Towle H. *See* Wendt CH
Triebig G, Werle E, Päpke O, Heim G, Broding C, Ludwig H: Effects of dioxins and furans on liver enzymes, lipid parameters, and thyroid hormones in former thermal metal recycling workers, S697–S700
Trosko JE: Hierarchical and cybernetic nature of biologic systems and their relevance to homeostatic adaptation to low-level exposures to oxidative stress-inducing agents, S331–S339. *See also* Upham BL; Weis LM
Tseng C-Y. *See* Succop P
Tummons P: Comments on "Trouble in Paradise" [letter], A126
Tuomisto J. *See* Vartiainen T
Turcer E. *See* Menzel HM
Turner KJ. *See* Sharpe RM
Turpie BW. *See* Hamilton JW
Turturro A. *See* James SJ
Tysklind M. *See* Van den Berg M

U

Upham BL, Weis LM, Trosko JE: Modulated gap-junctional intercellular communication as a biomarker of PAH epigenetic toxicity: structure-function relationship, S975–S981
Upham BL. *See* Weis LM
Urano K. *See* Yamamoto S
Ursin G, London S, Pike MC: Response [to Bradlow HL] [letter], A127

V

Vahter M. *See* Concha G
Vakharia DD. *See* Arcaro KF; *See* Carpenter DO
Vallyathan V, Shi X, Castranova V: Reactive oxygen species: their relation to pneumoconiosis and carcinogenesis, S1151–S1155. *See also* Adler KB
Vamvakas S. *See* Lutz WK
van Bavel B. *See* Hardell L
van Birgelen APJM: Hexachlorobenzene as a possible major contributor to the dioxin activity of human milk, 683–688
Van den Berg M, Birnbaum L, Bosveld ATC, Brunström B, Cook P, Feeley M, Giesy JP, Hanberg A, Hasegawa R, Kennedy SW, Kubiak T, Larsen JC, van Leeuwen FXR, Liem AKD, Nolt C, Peterson RE, Poellinger L, Safe S, Schrenk D, Tillitt D, Tysklind M, Younes M, Wærn F, Zacharewski T: Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife, 775–792
Van Der Kraak G. *See* de Solla SR
van der Vliet A. *See* Cross CE
van Leeuwen FXR. *See* Van den Berg M
Van Leeuwen P. *See* White PD
Van Loveren H. *See* Goettsch W
van Maanen JMS. *See* Vermeer ITM
van Netten C. *See* Alexander BH
Vartiainen T, Jaakkola JJK, Saarikoski S, Tuomisto J: Birth weight and sex of children and the correlation to the body burden of PCDDs/PCDFs and PCBs of the mother, 61–66
Vena J, Boffetta P, Becher H, Benn T, Bas Bueno-de-Mesquita H, Coggon D, Colin D, Flesch-Janys D, Green L, Kauppinen T, Littorin M, Lynge E, Mathews JD, Neuberger M, Pearce N, Pesatori AC, Saracci R, Steenland K, Kogevinas M: Exposure to dioxin and nonneoplastic mortality in the expanded IARC international cohort study of phenoxy herbicide and chlorophenol production workers and sprayers, S645–S653
Venugopalan CS. *See* Kleinow KM
Vepa S. *See* Natarajan V
Verhaar HJM. *See* Yang RSH
Verma SP, Goldin BR, Lin PS: The inhibition of the estrogenic effects of pesticides and environmental chemicals by curcumin and isoflavonoids, 807–812
Vermeer ITM, Pachen DMFA, Dallinga JW, Kleinjans JCS, van Maanen JMS: Volatile *N*-nitrosamine formation after intake of nitrate at the ADI level in combination with an amine-rich diet, 459–463
Villalobos M. *See* Perez P
Vincent JH. *See* Spear TM
Visita P. *See* Hooper K
Voitkun V. *See* Zhitkovich A
Vollmer G. *See* Hopert A-C
vom Saal FS. *See* Ashby J
von Manikowsky S, Sagunski H, Päpke O, Fabig K-R, Neus H, Schümann M, Spannhake K, Karmaus W, Osius N, Zier B: PCDD/PCDF indoor exposure in day-care centers and PCDD/PCDF blood concentrations of female employees, S707–S714
Vonier PM. *See* Cheek AO
Voynow JA. *See* Martin LD

W

Waalkes M. *See* Huff J
Wade TJ. *See* Hooper K
Wakana S. *See* Yamamoto S
Walborg EF Jr. *See* Klaunig JE
Walker CH, Kaiser K, Klein W, Lagadic L, Peakall D, Sheffield S, Soldan T, Yasuno M: Joint report: alternative testing methodologies for ecotoxicity, S441–S451; Commentary: biomarker strategies to evaluate the environmental effects of chemicals, S613–S620
Walker NJ. *See* Grassman JA
Walker S, Griffin S: Site-specific data confirm arsenic exposure predicted by the U.S. Environmental Protection Agency, 133–139
Wall DK. *See* Calvert GM
Wallace LA: Research highlight: trichloroethane levels in human blood and exhaled breath from controlled inhalation exposure, 531–533. *See also* Gordon SM
Wallace WH. *See* Hryhorczuk DO
Walter D. *See* Menzel HM
Walton BT. *See* Reiter LW
Walum E: Acute oral toxicity, S497–S503. *See also* Curren RD
Wang F. *See* Gaido K
Wang J-D. *See* Chen P-C
Wang W. *See* Ballatori N
Ward MH. *See* Zahm SH
Ward TR. *See* Kodavanti PRS
Wærn F. *See* Van den Berg M
Warner R. *See* Reeder AL
Warren S. *See* Hughes TJ
Watanabe T. *See* Ando M
Waxman DJ. *See* Zhou Y-C
Weaver VM, Buckley TJ, Groopman JD: Commentary: approaches to environmental exposure assessment in children, S827–S832
Weber SL. *See* Castranova V
Webster JR Jr. *See* Hryhorczuk DO
Weidner I, Møller H, Jensen TK, Skakkebæk NE: Cryptorchidism and hypospadias in sons of gardeners and farmers, 793–796
Weinberg JB. Nitric oxide as an inflammatory mediator in autoimmune MRL-*lpr/lpr* mice, S1131–S1137
Weis LM, Rummel AM, Masten SJ, Trosko JE, Upham BL: Bay or baylike regions of polycyclic aromatic hydrocarbons were potent inhibitors of gap junctional intercellular communication, 17–22. *See also* Upham BL
Welshons WV, Nagel SC, vom Saal FS: Response [to Ashby J] [letter], A316–A317
Wendt CH, Sharma R, Bair R, Towle H, Ingbar DH: Oxidant effects on epithelial Na,K-ATPase gene expression and promoter function, S1213–S1217
Werle E. *See* Triebig G
Weyand EH. *See* Goldstein LS
Wheeler MB. *See* Reeder AL
White PD, Van Leeuwen P, Davis B, Maddaloni M, Hogan KA, Marcus AH, Elias RW: The conceptual structure of the integrated exposure uptake biokinetic model for lead in children, S1513–S1530. *See also* Hogan K
Whiting RJ. *See* Hurley PM
Whittaker T. *See* Miller AC
Whyatt RM, Santella RM, Jedrychowski W, Garte SJ, Bell DA, Ottman R, Gladek-Yarborough A, Cosma G, Young T-L, Cooper TB, Randall MC, Manchester DK, Perera FP: Relationship between ambient air pollution and DNA damage in Polish mothers and newborns, S821–S826
Wick LY, Gschwend PM: By-products of a former phenol manufacturing site in a small lake adjacent to a Superfund site in the Aberjona watershed, S1069–S1074
Wiese TE. *See* Bolger R
Wijeweera J, Gandolfi J, Zheng XH: Interactive toxicity and stress protein expression by vinylidene chloride and monochloroacetate in precision-cut rat liver slices, S1319–S1323
Wikoff B. *See* Reeder AL
Wilbourn J. *See* McGregor DB
Williams M. *See* De Rosa CT
Wilmoth J. *See* Gordon M

Wilson S: Response: Environmental Genome Project [letter], A368–A369
Winkler J. *See* Hooper K
Wintersteen W. *See* Alavanja MCR
Wolfe MJ. *See* Gardner HS Jr
Wolff S: The adaptive response in radiobiology: evolving insights and implications, S277–S283
Wolfthal SF. *See* Brain JD
Wood WP. *See* Crisp TM
Woodruff TJ, Axelrad DA, Caldwell J, Morello-Frosch R, Rosenbaum A: Public health implications of 1990 air toxics concentrations across the United States, 245–251
Woods JS. *See* Alexander BH
Wünsche W. *See* Hopert A-C

X

Xu J. *See* Miller AC
Xu P. *See* Hoidal JR
Xu Y. *See* Klaunig JE

Y

Yadav JS, Seth N: Effect of NO_x on the somatic chromosomes of goldsmiths, 643–647
Yamamoto S, Urano K, Koizumi H, Wakana S, Hioki K, Mitsumori K, Kurokawa Y, Hayashi Y, Nomura T: Validation of transgenic mice carrying the human prototype c-Ha-*ras* gene as a bioassay model for rapid carcinogenicity testing, S57–S69
Yan Z. *See* Stacpoole PW
Yang C-R. *See* Odegaard E
Yang C-Y. *See* Chen P-C
Yang RSH: Commentary: some critical issues and concerns related to research advances on the toxicology of chemical mixtures, S1059–S1063; Suk WA: Preface: current issues on chemical mixtures, S1261; Thomas RS, Gustafson DL, Campain J, Benjamin SA, Verhaar HJM, Mumtaz MM: Approaches to developing alternative and predictive toxicology based on PBPK/PD and QSAR modeling, S1385–S1393
Yang Y. *See* Arcaro KF
Yasuno M. *See* Walker C
Yates CL. *See* Hilts SR
Younes M. *See* Blaauboer BJ; Van den Berg M
Young T-L. *See* Whyatt RM

Z

Zacharewski T: Identification and assessment of endocrine disruptors: limitations of *in vivo* and *in vitro* assays, S577–S582. *See also* Spielmann H
Zacharewski T. *See* Van den Berg M
Zahm SH, Ward MH: Pesticides and childhood cancer, S893–S908. *See also* Alavanja MCR; Colt JS
Zaragoza L, Hogan K. The integrated exposure uptake biokinetic model for lead in children: independent validation and verification, S1551–S1556
Zeeman MG. *See* Crisp TM
Zeiger E, Smith L: The first International Conference on the Environmental Health and Safety of Jet Fuel, 763–764
Zeiger RS. *See* Delfino RJ
Zejda JE. *See* Fitzgerald EF
Zhang L. *See* Smith MT
Zheng XH. *See* Wijeweera J
Zhitkovich A, Voitkun V, Kluz T, Costa M: Utilization of DNA–protein cross-links as a biomarker of chromium exposure, S969–S974
Zhou C. *See* Kao Y-C
Zhou H. *See* Forman HJ
Zhou Y-C, Waxman DJ: Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids, S983–S988
Zhu H-G. *See* Ding W-X
Zhu S, Manuel M, Tanaka S, Choe N, Kagan E, Matalon S: Contribution of reactive oxygen and nitrogen species to particulate-induced lung injury, S1157–S1163
Zier B. *See* von Manikowsky S
Zober A. *See* Messerer P
Zocchetti C. *See* Taioli E
Zugerman C. *See* Hryhorczuk DO

Subject Index for Volume 106

Pages preceded by S are from the Environmental Health Perspectives Supplements

A

acceptable daily intake, A216
acetylcholine receptor, A173–A174
acetylcholinesterase, use in antitoxicant sponges, A183
N-acetylcysteine, as an antidote to methylmercury poisoning, 267–271
acid mine drainage, A531–A532, A542
acute toxicity
  alternative testing methods for, S407–S408, S419–S425, S497–S503
  assessment using *Vibrio fischeri*, S583–S591
adaptive responses, S325–S330
  to ionizing radiation, S277–S283, S301–S305
  and metallothionein, S297–S300
addiction, genetic influences on, 231–238
adrenal hormones, effect of trichloroethylene on, 41–44
Adventist Health Study on Smog, 813–823
aerosol acidity, effect on pulmonary function, 95–98
Agency for Toxic Substances and Disease Registry, A174, S1271
  assessment of manganese, A57, A58
  children's health research, A25
  risk assessment by, S369–S378
Agent Orange, induction of soft-tissue sarcomas by, S671–S678
aging
  and apoptosis, S307–S312
  and defense mechanisms, S341–S348
  and dietary restriction, S313–S324
Agricultural Health Study, 415–420
agriculture, use of pesticides in, A372
air pollution, A234–A236
  and asthma, 751–761
  and child health, 307–311, 331–355
  concentrations of pollutants, 245–251
  DNA damage in newborns from, S821–S826
  genetic susceptibility to health effects of, A130–A131
  indoor
    from coal burning, 239–244
    dioxins and furans, S707–S714
    by fluoride, 239–244
    in India, 291–297
    from pesticide application, 299–301
    sensory responses to, 739–744
  and intrauterine mortality, 325–329
  and lung cancer, 189–196, 813–823
  metals in, A57–A58, 509
  oxidants in, S1241
  particulate
    air quality standards for, A373–A374
    and asthma, 751–761
    effect on pulmonary function, 95–98
    induction of apoptosis by, 127–132
    and mortality, 535–549, 849–855
    role in cardiopulmonary disease, A534–A535
    standards for, A373–A374
  pulmonary toxicity, 93–99, 141–146
  remediation as a contributor to, 47–49
  research, A322, S1285
  risk assessment of, 519–521
  role in cardiopulmonary disease, S111–S130, 649–653
  standards, S860
  vehicle-related, A276–A277
alcohol, and breast cancer, 524–525
Alexandrium, A328
algae, toxic, A226, A326–A331
alkylbenzenes, in gasoline, 120
allergens
  house dust mite, 659–664
  transfer through food supply, A434
allergic contact dermatitis, S494–S495
allergy
  development of, S795–S800
  and fragrances, A596
  testing chemicals for, A488–A489
alpha radiation, 470
α2u-globulin, A126
  and exposure to gasoline, 116
alternative testing, S405–S412, S413–S418, S1385–S1393
  mechanistic approaches, S453–S457
  methods for carcinogenesis, S467–S471
  research on, A481–A483
  use of invertebrates, S593–S611
  validation of, S477–S484
alveolar macrophages
  effects of particulate air pollution on, 127–132
  superoxide production by, S1185–S1190
Alzheimer's disease, A174
  compared with Creutzfeldt–Jakob disease, A135
amines, in diet and *N*-nitrosamine formation, 459–463
amino acids, effect of pollutants on cellular, 495–496
amphibians, malformations among, 773–774
amphidinolide B, A284–A285
Animal and Plant Health Inspection Service, A427
animal models
  of human response to dioxins, S761–S775
  of oxidative stress, 375–384
animal wastes, managing, A226–A227, A587
anthracenes, inhibition of gap junctional intercellular communication by, 17–22
antimony, exposure from soil, 33–39
AP-1, S1154
apoptosis
  and diet, S307–S312
  induced by particulate air pollution, 127–132
  role of nitric oxide in, S1125–S1130
aquatic toxicology, S583–S591. *See also* fish
  algal blooms, A326–A331
  benzo[*a*]pyrene, 155
  effect of DDE on turtles, 185–188
  liver lesions in fish, 179–183
  tests for *Pfiesteria*, A224–A226
  use of arthropods, S1395–S1407
Arctic, pollution and health, A64–A69
Arctic Monitoring and Assessment Programme, A59, A64–A65
Argentina, arsenic exposure of children in, 355–359
aristolochic acid, as cause of nephropathy, 697–698
Aroclors, cancer risk assessment of, 318–319
aromatase, inhibition by phytoestrogens, 85–92
aromatic hydrocarbon receptor, polymorphisms of, 421–426
arsenic
  carcinogenicity testing, A170, A582–A583
  effects on dopamine release, 487–491
  exposure assessment, 33–39, 133–139
  metabolism of inorganic in children, 355–359
  removing from drinking water, A548–A550
  toxicity and diet, S209–S212
arthritis
  induction by cosmetics, 27–32
  role of nitric oxide in, S1131–S1137
arthropods, use in aquatic toxicology, S1395–S1407
aryl hydrocarbon hydroxylase, activity and benzo[*a*]pyrene, 161
aryl hydrocarbon receptor, S766
asbestos
  crocidolite, activation of nuclear factor κB, S1171–S1174
  immunotoxicity of, S159–S169
  -induced lung injury, S1159–S1161, S1191–S1195
ascorbate, in plants as protection against oxidants, S1243
asthma
  animal models of, S117–S118
  childhood, A15
  and climate, 607–610
  and house dust mite allergen, 659–664
  and ozone and particulate matter, 751–761
  preservatives in medications for, A374–A375
astrocytoma, S135
atmospheric dispersion models, 245–251
atrazine, clastogenicity of, 197–201
atrophy, due to carbon disulfide exposure, 611–613
autoimmune diseases, A592–A593
autoimmunity, assessment of, S538

automobiles
  emissions from, A588
  use of, A275–A276
autoprotection, S1310–S1311
Aviron biopharmaceutical company, A319
azidothymidine, S543, S544

B

Bacillus thuringiensis, A172, A432–A433
background exposure, to dioxins and furans in Germany, S723–S731
bacteria
  reductive chlorination of polychlorinated biphenyls by, S1409–S1418
  role in toxic pollutants from mining, A531–A532
  use to treat cancer, A56–A57
Balkan endemic nephropathy. *See under* nephropathy
bathing
  exposure to chloroform via, 337–345
  and exposure to water contaminants, 57
bats, declines in, A424
beef industry, British, A134
benchmark dose modeling, S375–S376
benzalkonium chloride, in nebulizers, A374–A375
benzene, in gasoline, 119–120
benzo[*a*]pyrene
  bioavailability and biotransformation of, 155–166
  tumorigenicity with coal tar, S1325–S1330
beryllium, diseases from, 765–767
β curve, S357–S358
β-galactosidase assays, 423
beta-ketoacyl-acyl, A532
β-naphthoflavone, effect on aryl hydrocarbon hydroxylase activity, 161
biodiversity, and turf grass management, A384
biofilms, combatting, A604–A606
biokinetic models. *See also* integrated exposure uptake biokinetic model
  of lead, S1461–S1465, S1485–S1493
biokinetic slope factor, S1569–S1576
biomarkers
  of cancer, 67–70
  of dioxin exposure, S737–S742
  of environmental exposures in children, S813–S816, S829–S831
  of nephrotoxicity, 227–230
  polymorphisms among, S231–S239
  use to evaluate ecotoxicity, S613–S620
biomedical research, A580–A581
biomonitoring
  arsenic and antimony exposures, 33–39
  chromium exposure, 833–839
bioreactors, A320–A321
bioremediation, genotoxicity of soil after, S1427–S1433, S1435–S1440
bird flu, vaccine against, A319
birds, toxic equivalency factors for, 779–781
birth defects
  and hazardous waste exposure, S1273
  incidence in Eastern and Central Europe, 309
  and pesticide exposure, A16
birth weight, and maternal exposure to dioxins and furans, 61–66
bisphenol A, A316, 167–174
  sources of, A473
  uterotrophic activity of, 719–720
black lung. *See* coal miner's pneumoconiosis
blood–brain barrier, role in headaches, 101
bone, lead in, 1–8, 473–477, 733–737, S206–S207, S1487–S1488
  and lactation, 629–631
  and physiology of, S1495
bovine spongiform encephalopathy, A131, A134–A138
Box Behnken design, S1361
Box–Cox transformation, S1367–S1371
brain cancer, childhood, S887–S892, S898
Brazil, air pollution and feral death in, 325–329
breast cancer, S13
  genetics and risk factors, 523–529
breast implants
  risks from, A526–A527
  2,4-toluenediamine leached from, 393–400
breast milk
  contaminants in, 64–65
  dioxins in, 797–806
  hexachlorobenzene in, 683–688
  lead in, 629–631, 667–674
  polychlorinated biphenyls in, 513–518
bromoxynil, ban on, A268–A269
bronchitis, animal models of, S115
brown tides, A329
butterflies, declines in, A424
butyl benzyl phthalate, effect on testis development, A220–A221
butyrylcholinesterase, use in antitoxicant sponges, A183

C

cadmium
  contamination in the Arctic, A66
  effects on dopamine release, 487–491
  and metallothionein, S297–S300
  nephrotoxicity of, 175–178, 227–230, 587–595
  toxicity and diet, S203–S206
calcium
  effect on cadmium toxicity, S205
  effect on lead toxicity, S206, S1496–S1497
  role in apoptosis, S1125–S1130
California Air Resources Board, A588
caloric intake, and disease susceptibility, S313–S324
Canada, liver lesions in St. Lawrence River fish, 179–183
cancer. *See also specific types of cancer*
  childhood, A18–A23, S788–S789, S801–S806, S867–S873
    approaches to studying, S881–S886
    and parental occupation, S909–S925
    and pesticides, S893–S908
    and vitamin supplementation, S887–S892
  exposure to dioxins and furans as risk factor for, S663–S670, S755–S760
  and exposure to gasoline, 115–116
  incidence among phenoxy herbicide workers, S683–S688
  p53 mutations, 207–211
  public perception of, A312–A313
  risk assessment, S663–S670
    for electromagnetic fields, 701–717
    for polychlorinated biphenyls, 317–323
  role of metabolic genes, 67–70
  treatment with *Salmonella typhimurium*, A56–A57
carbon dioxide, use of liquid to remove methyl tertiary butyl ether from groundwater, A475
carbon disulfide
  -induced atrophy, 611–613
  neurotoxicity of, A428–A430
carbonless copy paper, health effects from, A266–A267
carbon monoxide
  and congestive heart failure, 649–653
  effects on fetuses, 328
carbon tetrachloride
  hepatotoxicity of, S1307–S1317, 597–606
  and metallothionein, S297–S300
carcinogenesis, S333–S335
  alternative testing methods for, S467–S471
  and apoptosis, S307–S312
  mouse liver tumor model, S285–S288
  and *p53* mutations, 207–211
  role of oxidative stress, S289–S295
  transgenic mouse models of, S71–S80, S81–S84, S473–S476
carcinogenicity
  of chemical mixtures, S1284–S1285, S1291–S1293, S1331–S1336
  and cytochromes P450, 633–641
  and induction of hydroxyestrones, 203–206
  testing, A485, S71–S80, S877–S878
    using *ras*H2 mouse, S57–S69
cardiopulmonary disease, rodent models of, S111–S130
cardiovascular disease, S1219–S1228. *See also* heart failure
  and air pollution, 852
  among dioxin-exposed workers, S635–S643
  role of particulate matter in, A534–A535
cataracts, A586

cell cultures
of neuronal cells, S137–S147
renal, S562–S564
cell cycle, adaptive responses in, S301–S305
cell-mediated immunity, S534
cellular telephones, possible health effects from use of, A474, 101–103
Center for Food Safety and Applied Nutrition, A589
Centers for Disease Control, guidelines for laboratory safety, A281
central composite design, S1362–S1363
central nervous system
control of thyroid-stimulating hormone secretion in, 429
effects of environmental contaminants on, S1265
chelation therapy, 314, S1509–S1510
chemical industry, testing by, A174–A175
Chemical Industry Institute of Toxicology, A601, A602
Chemical Manufacturer's Association, A601
chemical mixtures, S1271–S1280
assessing toxicity of, S1281–S1289, S1299–S1305
carcinogenicity assays of, S1331–S1336
interactions in, S1361–S1365
maximum concentration values, S1291–S1293
modeling, S1353–S1360, S1367–S1371, S1441–S1448
overview of health effects, S1263–S1270
Chemical Right-to-Know Initiative, A601
chemical safety, testing, 635–637
Chernobyl (Chornobyl), International Radioecology Laboratory, A587–A588
children
asthmatic and air pollution, 751–761
biomarkers of exposure, S813–S816
birth weight and maternal exposure to dioxins and furans, 61–66
cancer among, A18–A23, S801–S806, S867–S873, S881–S886
and parental occupation, S909–S925
and pesticides, S893–S908
cryptorchidism and hypospadias in, 793–796
diets of, A10–A11
educational resources for, A272
effect of passive smoking on, A12–A13
effects of air pollution on, 331–355, S821–S826
environmental health of, A263–A264, S817–S820, S827–S832, S857–S862, S875–S880
in Eastern European, 307–311
environmental health research, A14–A16, A24–A25, S785–S786, S787–S794
exposure to allergens, S795–S800, S797–S798
exposure to lead, A14, S850–S860, 313–316, 499–501
assessment, 499–501
blood levels, 746
efficacy of intervention measures, 79–83
erythropoietin, 361–364
modeling, S1495–S1503, S1535–S1539, S1551–S1556
in Peru, A170–A171
in urban, 655–657, 733–737
exposure to metals, 308–309
exposure to methylmercury, S841–S847
prenatal, 559–564
exposure to pesticides, A10, 9–16, 299–301,347–353, S807–S811
metabolism of inorganic arsenic in, 355–359
prenatal exposure to polychlorinated biphenyls, 516–517
respiratory infections among Indian, 291–297
China, indoor air pollution in, 239–244
chironomids, use in aquatic toxicology, S1396
chloracne, among pentachlorophenol workers, 404
chlordecone, interaction with carbon tetrachloride, 597–606
chlorella, use to kill mosquitoes, A172
chlorinated hydrocarbons. *See also names of specific chemical compounds*
in women who have miscarriages, 675–681
chloroform, dermal exposure to, 337–345
chlorophenol
exposure to dioxins and furans via, S733–S735
mortality among production workers, S645–S653
chlorpyrifos
exposure of children to, A10, 299–301
indoor exposure to, 9–16, 725–731
industry testing of, A583–A584
risk assessment of, 303–306
cholesterol, effect of passive smoking on children's, A12–A13
chromate, wastes sites and chromium exposure, 833–839
chromium
exposure in dusts, 833–839
health effects of, S374
chromosome aberrations
induced by ionizing radiation, S277–S283
induced by nitrogen oxides, 643–647
chronic beryllium disease, 765–767
chronic index, 217
chronic obstructive pulmonary disease, animal models of, S118
chronic tubulointerstitial nephropathy, 689–700
city planning, A269
Clean Air Act, S253, 519–521
cleaning solvents, replacements for, S255–S257
Clean Water Action Plan, A226
Clean Water and Watershed Restoration Initiative, A330
climate, and asthma, 607–610
climate change, A67, A168, A603
effect on incidence of dengue, 147–153
modeling health effects of, S241–S251
coagulation/filtration, treatment of water, A549
Coal Act. *See* Federal Coal Mine Health and Safety Act
coal burning, fluoride pollution from, 239–244
coal miner's pneumoconiosis, A539–A540, A545
coal tars, tumorigenicity with benzo[*a*]pyrene, S1325–S1330
coatings, replacements for traditional, S257–S258
cohort studies, critique of prospective, 535–549
colchicine, effect on carbon tetrachloride–induced hepatotoxicity, 597–606
colony-forming units, S543–S544
Committee on the Environment and Natural Resources, endocrine disruptor research, 105–107
competition binding, 553
competitive agonism, S1282
comprehensive nutrient management plans, A587
computer-aided design, of new solvents, S263–S265
computer modeling, action of aromatase inhibitors, 85–92
co-mutagenicity, A522–A523
congestive heart failure
animal models of, S121–S122
and carbon monoxide, 649–653
Consumer Product Safety Commission, risk assessment by, S387–S390
copper
effect on cadmium toxicity, S205
effect on proximal tubule, 587–595
coproporphyrin, as a biomarker of porphyria, 213–216
coral reefs, as a source of pharmaceuticals, A284
cosmetics, induction of arthritis in rats by, 27–32
cotton, bromoxynil-resistant, A268–A269
coumestrol, estrogenicity of, 583
Council of Education in Public Health, 615
creosote, mutagenicity of soil contaminated with, S1427
Creutzfeldt–Jakob disease, A135
crops, transgenic, A432–A437
Cryptoperidiniopsis, A425–A426
cryptorchidism, and parental pesticide exposures, 793–796
curcumin, inhibition of estrogenicity by, 807–812
cyanazine, clastogenicity of, 197–201
cyanobacteria, effect on hepatocytes, 409–413
cytochrome P450, 86, S766–S768
gene inducibility, 425
induction by polychlorinated biphenyls, S1266–S1267
role of gene in cancer, 69
and xenobiotic metabolism, 633–641
cytotoxicity, S499–S501

D

daidzein, estrogenicity of, 583
DDE, effect on sexual differentiation in turtles, 185–188
defense mechanisms, S341–S348
δ-aminolevulinic acid dehydratase, and lead susceptibility, 213–216
dengue, effect of climate change on incidence of, 147–153

Denmark, cancer among phenoxy herbicide workers, S683–S688
dental amalgams, A75
Department of Energy, risk assessment by, S383–S385
dermal toxicity, alternative testing methods for, S423–S424, S493–S496
Dermatophagoides pteronyssinus. *See* house dust mite allergen
development
  effect of methylmercury on, 559–564
  effects of hazardous wastes on, S1272–S1273
  tests of toxicity, A485, S571–S576
diarrhea, vaccination against rotavirus induced, A128
dichlorobenzene, dose–response relationship for, S1310
dieldrin, carcinogenic mechanisms, S291–S294
diesel exhaust particles
  exposure of miners to, A540, A546
  mutagenicity of, S1373–S1376
diet
  of children, A10–A11
  and health effects among the Inuit, A67–A68
  pesticide exposure via, S809–S810, S859
  risks of amines in, 459–463
  as a source of dioxins and furans, S723–S724
dietary restriction
  and apoptosis, S307–S312
  and disease resistance, S313–S324
  role in tissue repair, S1312–S1313
dietary supplements, source of information on, A589
diethylnitrosamine, carcinogenicity assays of, S1331–S1336
diethylstilbestrol, A315, A316, S5
dimethylarsinic acid, A170
dinoflagellates, A327, A328
  pharmaceuticals from, A284–A285
dioxins, S1297
  animal models of human response to, S761–S775
  background exposure to in Germany, S723–S731
  biomarkers of exposure, 279–289, S737–S742
  in breast milk, 797–806
  and cancer mortality, S655–S662
  carcinogenicity of, S663–S670, S755–S760
  and cardiovascular diseases, S635–S643
  contributors to in breast milk, 683–688
  dose–response estimation, S349–S355
  effect on liver enzymes and thyroid hormones, S697–S700
  effect on sex hormones in turtles, 257
  epidemiology of health effects, S623–S624
  exposure via herbicides, S733–S735
  immunotoxicity of, S689–S695, S701–S705
  in indoor air, S707–S714
  induction of soft-tissue sarcomas and non-Hodgkin's lymphomas, S671–S678
  interaction with polychlorinated biphenyls, 479–486
  maternal exposure and birth weight, 61–66
  occupational exposure to, S645–S653, S715–S722, S743–S753
  studies of exposure in Seveso, Italy, 273–277, S625–S633
  toxic equivalency factors for, 775–792
diphenylalkanes, estrogenicity of, 167–174
disease susceptibility, and caloric intake, S313–S324
disintegrins, A318
DNA damage, S285–S288
  caused by air pollution, S821–S826
  research on, A536–A537
dopamine, effects of mining wastes on release of, 487–491
dopaminergic system
  role in addiction, 232–234
  role in headaches, 102
dose extrapolation, S656–S658
  for antithyroid compounds, 453
dose responses
  and defense mechanisms, S341–S348
  at low levels of exposure, S349–S355, S379–S381
Draize test. *See* ocular irritation
dredging, A230–A231
  as source of air pollution, 47–49
drinking water
  access to, A603
  arsenic in, 356–357
    removing, A548–A550
  assessing use of, 55–59
  contamination of, A234–A236, S1319–S1323
  lead in, 500–501
  triazine herbicides in, 197–201
drugs, ban on animal product-containing, A134
dust. *See also* house dust mite allergen
  chromium, 833–839
  collection of indoor, 721–724
  exposure in miners, A539–A540

E

ecoepidemiology, of climate change and ozone depletion, S241–S251
ecologic fallacy, 539–540
ecotoxicology
  alternative testing methods for, S410–S411, S441–S451
  use of biomarkers, S613–S620
  using invertebrates to assess, S597–S601
edetate disodium, in nebulizers, A374–A375
education, A12
  environmental health, S849–S855, 615–617
  lead exposure reduction, 80–81
EHPnet
  Animal and Plant Health Inspection Service, A427
  Arctic Council, A59
  Center for Food Safety and Applied Nutrition, A589
  Environmental Quality Science and Technology Division (U.S. Navy), A225
  mad cow disease, A131
  Mine Safety and Health Administration, A533
  National Center for Complementary and Alternative Medicine, A589
  National Institute of Child Health and Human Development, A13
  National Sea Grant College Program, A321
  National Toxicology Program, A477
  Planners Web, A269
  U.S. Geological Survey, A375
  World Resources Institute, A175
Ehrlich, Paul and Anne, A267
electromagnetic fields, A176
  associated with cellular telephones, 101–103
  carcinogenicity of, A431, A474, 701–717
  and childhood cancer, A20–A21
  report on health effects from, A325
  research on, A314–A315
embryotoxicity, A485
emphysema, animal models of, S116–S117
endocrine disorders, among children, S789–S790
endocrine disruptors, S5–SS10. *See also* xenoestrogens
  assessing, A472, S11–SS56, S577–S582
  developmental neurotoxicology of, S807–S811
  effects on frogs, 261–266
  polychlorinated biphenyls as, S171–S189
  research on, 105–113, A315–A317, A319–A320
  screening, 551–557
  and testis development, A220–A221
Endocrine Disruptor Screening and Testing Advisory Committee, A267–A268
endometriosis, S13
endometrium, experimental model of, 581–586
Environmental Defense Fund, A174–A175, A600, A601
Environmental Diseases A to Z, A17
Environmental Genome Project, A368–A369, 365–368
environmental health, A216
  education, S849–S855
    at university level, 615–617
environmental justice, 217–226
environmental medicine, A262
Environmental Protection Agency
  air quality standards, A373–A374
  Risk Assessment Forum, S11
Environmental Quality Science and Technology Division (U.S. Navy), A225
environmental regulations, and Native Americans, A70–A72
epidemiology
  of childhood cancer, A19–A20
  use in environmental health research, 365–366

use in risk assessment, 709–713
use of bone lead in, 1–8
epidermal growth factor
excretion of, 228, 229
receptor, S768
epilepsy, A174
epithelial cells, effect of asbestos on, S161–S162
eristostain, A318
erythropoietin, production in lead-exposed children, 361–364
Escherichia coli
killing in meat using radiation, A129–A130
test for detecting, A58
estrogen. *See also* phytoestrogens; xenoestrogens
effect of organochlorines on turtle, 256–257
metabolite induction and carcinogenesis, 203–206
screening chemicals for receptor binding, 551–557
urinary metabolites of, A126–A127
estrogen synthetase. *See* aromatase
estrones. *See also* hydroxyestrones
and breast cancer, 525–526
ethanol, as a gasoline additive, 117
ethylene dibromide, as a gasoline additive, 119
ethylene dichloride, as a gasoline additive, 119
Europe, environmental health of children in Eastern, 307–311
Ewing's sarcoma, childhood, S898
exercise, -induced stress response, S325–S330
experimental allergic encephalomyelitis, A136
exposure assessment, A602–A603
of air pollutants, 245–251
of arsenic, 133–139
of chlorpyrifos, 303–306
methodology, 721–724
by National Toxicology Program, 623–627
of tap water, 55–59
eyes
development of cataracts, A586
role of nitric oxide in inflammation of, S1145–S1149

F

factorial designs, S1282–S1283, S1361
farmers, pesticide-related doctor visits, 415–420
farmland, loss of, A277
Federal Coal Mine Health and Safety Act, A539, A544
Federal Hazardous Substances Act, S387
Federal Insecticide, Fungicide, and Rodenticide Act, A379, A433
feminization, in turtles, 254
fertility. *See also* infertility
assessing male, S572
fertilizers, A379
fetal death, and air pollution, 325–329
FETAX, 773
fillings. *See* dental amalgams
fish
aryl hydrocarbon receptor-mediated toxicity, 777–779
exposure to methylmercury via, S841–S847
liver lesions in, 179–183
models of oxidative stress, 375–384
fixed-dose procedure, S499
flavones, inhibition of aromatase by, 85–92
flu
drug treatment for, A372–A373
live vaccines against, A319
fluorescence polarization, 551–557
fluorosis, 239–244
focal adhesion kinase, effect of reactive oxygen species on, S1208
food. *See also* diet
estrogenicity of pesticide residues on, S1347–S1351
use of ionizing radiation to ensure safety of, A129–A130
Food and Drug Administration
risk assessment by, S391–S394
seafood safety, A475–A477
food chain, transport of dioxins in, 782–784
Food Quality Protection Act, A21, A267, A268, A432, S12, S858, S877
fragrances, A594–A599
free radicals, role in carcinogenesis, S289–S295
frogs
intersexuality and environmental contaminants, 261–266
malformations in, 773–774, 841–848
fuel additives
methylcyclopentadienyl manganese tricarbonyl, A57–A58
risk assessment of, S191–S201
furans
background exposure to in Germany, S723–S731
biomarkers of exposure, S737–S742
and cancer, S655–S662, S755–S760
effect on liver enzymes and thyroid hormones, S697–S700
effect on sex hormones in turtles, 257
epidemiology of health effects, S623–S624
exposure via herbicides, S733–S735
in indoor air, S707–S714
and intersexuality in frogs, 261–266
maternal exposure and birth weight, 61–66
toxic equivalency factors for, 775–792

G

gap junctional intercellular communication
inhibition by polycyclic aromatic hydrocarbons, 17–22
role in adaptive responses, S331–S339
gasoline. *See also* fuel additives
health effects of, 115–125
gender, and susceptibility, A270–A271
gender differences, in lung cancer, 818–819
gene knock-out technique, A132–A133
General Assistance Program, A71
general circulation models, 147–148
generalized additive models, 559
genes, role of metabolic in cancer, 67–70
genetic engineering, of plant foods, A432–A437
genetic susceptibility, A602
genistein, estrogenicity of, 583
geographic information system, 219
Germany
arsenic and antimony exposure in, 33–39
maximum workplace concentrations for chemical mixtures, S1291–S1293
glial cells, S136
global warming. *See* climate change
glomerular filtration rate, 227–229
glomerulonephritis, role of nitric oxide in, S1131–S1137
glucocorticoid receptor, interaction with polychlorinated biphenyls, 769–772
glucose, role in tissue repair, S1312
glutathione peroxidase
inhibition of by 4-hydroxynoneal, S1231
role in defense against injury by oxidants, S1221
glutathione *S*-transferase M1, polymorphisms, S231–S239
glyceraldehyde-3-phosphate dehydrogenase, role in fertilization, A132
goldsmiths, exposure to nitrogen oxides, 643–647
golf courses, environmental impacts of, A382, A383–A384
grasses, domestic and commercial cultivation of, A378–A385
Great Lakes, contaminants in residents of, 279–289
green chemistry, S253–S271
groundwater
contamination with trichloroethylene, S1299
removal of methyl tertiary butyl ether from, A475
guinea pig maximization test, A488
Gymnodinium breve, A328

H

hapten spreading, S93
harbors, pollution of, A228–A233
harman, A522–A523
Hazard Analysis and Critical Control Point, A475–A477
hazardous wastes
health effects from, S1271–S1280
low-level exposures to, S383–S384
hazard screening, 217–226
headaches, from use of cellular telephones, 101–103
hearing loss, in miners, A540–A541
heart failure, and carbon monoxide, 649–653

heat shock proteins, A133, A217
  expression after exposure to chemical mixtures, S1319–S1323
heavy metals. *See* metals
hematopoiesis, S542–S543
  and lead exposure, 213–216, 361–364
hematotoxicity, alternative testing methods, S541–S557
hemosidersosis, caused by mold, A11–A12
hepatitis C, malondialdehyde in patients with, S1230
hepatocytes, effect of cyanobacteria on, 409–413
hepatotoxicity
  of carbon tetrachloride, 597–606
  and metallothionein, S297–S300
  and tissue repair, S1307–S1317
herbicides
  clastogenicity of, 197–201
  induction of cancer by, S671–S678
  phenoxy
    cancer incidence in workers exposed to, S683–S688
    exposure to dioxins and furans via, S733–S735
    mortality among sprayers, S645–S653
    quantitative cancer risk assessment, S663–S670
herbs
  safety of medicinal, A590–A592
  source of information on, A589
heterocyclic amines, carcinogenicity assays of, S1331–S1336
hexachlorobenzene, in breast milk, 683–688
high production volume chemicals, A600–A601
high-volume surface sampler, 721–724
hog industry, A226–A227
homeostasis
  and adaptive responses, S331–S339
  of cell number, S307–S312
homoserine lactones, A605
honeybees, declines in, A424
hormesis, S357–S362
hormone receptors, disruption of, S5–S10
hormones. *See also names of specific hormones*
  and breast cancer, 524–526
host resistance, animal models of, S535–S536
house dust mite allergen, 609
  variability in exposure to, 659–664
human genome, characterization of, 365–368
human immunodeficiency virus, A281
  malondialdehyde in patients with, S1230
humoral immunity, S534
hybridization, oligonucleotide, 422
hydriodic acid, A173
hydroxyestrones, A126–A127
  induction of and carcinogenesis, 203–206
4-hydroxynoneal, role in human disease, S1229–S1234
hyperoxia, effect on sodium pump, S1213–S1217
hypersensitivity. *See also* allergy
  assessment of, S536
hypertension, animal models of, S121–S122
hypospadias, and parental pesticide exposures, 793–796
hypothyroidism, S1266

I

immune system, A486
  effect of ultraviolet radiation on, 71–77
  effects of environmental contaminants on, S1264–S1265
  effects of pesticides on, 51–54
  methods for assessing toxicity to, S409, S533–S540
  nonspecific responses, S88
  toxicity of asbestos to, S159–S169
  toxicity of dioxin to, S689–S695, S701–S705
India, indoor air pollution in, 291–297
Indonesia, exposure of children to lead in, 499–501
indoor air. *See* air pollution, indoor
industrial chemicals, risk assessment of, S878–S879
industry, proximity to and lung cancer, 189–196
infectious diseases
  effect of radiation on resistance to, 71–77
  risk assessment of, A280–A282
infertility
  and chlorinated hydrocarbons, 675–681
  male, A132–A133
inflammation
  role in toxicological responses, A418–A419
  role of nitric oxide in, S1131–S1137, S1139–S1143, S1145–S1149
inhalation toxicology, A486
Institute of Medicine, A270
insulin, effect of trichloroethylene on, 41–44
insulinlike growth factor, 427–428, 449
integrated defense system, S85–S109
integrated exposure uptake biokinetic model, S1495–S1503, S1507–S1508, S1513–S1530, S1531–S1534, S1545–S1549, S1551–S1556, S1557–S1567
integrated pest management, A383, A384
Interagency Coordinating Committee on the Validation of Alternative Methods, A482–A483
intercellular adhesion molecule, in lung diseases, S1200
interferons, effect on nitric oxide synthase expression, S1120–S1123
interleukins
  effect on nitric oxide synthase expression, S1121
  and reactive species, S1199, S1200
International Commission on Radiation Protection, model of lead kinetics, S1498–S1503, S1505–S1511
International Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter. *See* London Convention of 1972
International Labor Organization, A538
International Programme on Chemical Safety, A178–A180, A387
intersexuality, in frogs and environmental contaminants, 261–266
interspecies extrapolation, 702–703, S1379–S1380
  for antithyroid compounds, 455
invertebrates, as test models, S593–S611
in vitro toxicology, liver models, S511–S532
ion transport, effect of oxidants on, S1213–S1217
iron
  effect on cadmium toxicity, S204–S205
  effect on lead toxicity, S207
  role in asbestos immunotoxicology, S164–S165
  use of palladized to purify water, A332–A334
ischemia, role of reactive oxygen species in, S1219–S1228
isobologram model, S1367–S1371, S1373
isoflavones
  inhibition of aromatase by, 85–92
  inhibition of estrogenicity by, 807–812
isoniazid, A532

J

Japanese medaka, carcinogenicity assays using, S1299–S1300
jet fuel, safety of, 763–764

K

Kazakstan, contaminants in breast milk, 797–806
kidney. *See also* nephrotoxicity
  cadmium levels in cortex of, 175–178
  effect of metals on, 587–595
  tumors after exposure to gasoline, 116
kindling, S88, S100

L

lactation. *See also* breast milk
  and breast cancer, 524
landfills, rate of decomposition in, A320–A321
land use patterns, A274, A277
larvacide, algal, A172
lawns. *See* turf management
LD_{50}, A478
lead
  binding proteins, S1585–S1587
  bioavailability in soil, S1589–S1594
  blood, 79–83, S1485–S1493
  blood slope factor model, S1569–S1576
  in bone, 1–8, 473–477
  in breast milk, 629–631, 667–674
  childhood exposure to. *See* children, exposure to lead
  and δ-aminolevulinic acid dehydratase polymorphisms, 213–216
  effects on dopamine release, 487–491
  exposure in Peru, A170–A171
  exposure of U.S. population to, 745–750
  exposure pathways, S217–S229, S1577–S1583
  in gasoline, 116–117

International Commission on Radiation Protection model of, S1498–S1503, S1505–S1511
kinetic models of, S1461–S1465, S1467–S1484, S1495–S1503, S1509–S1510, S1513–S1530, S1531–S1534, S1535–S1539, S1551–S1556, S1557–S1567. *See also* integrated exposure uptake biokinetic model
speciation of, 531, 565–571
toxicity and diet, S206–S207
Leggett model, of lead kinetics, S1500
Leptospirillum ferrooxidans, A531
leukemia
childhood, A18, S895–S898, S917
and exposure to gasoline, 115–116
Leydig cell hyperplasia, S13
limonene, A595
linear free-energy relationship, S1446
lipid peroxidation, S1152, S1229–S1234, 376–377
lipids, effect of dioxins on, S697–S700
liver. *See also* hepatocytes; hepatotoxicity
effect of dioxins on enzymes, S697–S700
lesions in fish, 179–183
tumors and exposure to gasoline, 116
in vitro toxicology, S511–S532
liver foci assay, S1387
local lymph node assay, A488–A489
London Convention of 1972, A229
longevity, and dietary restriction, S313–S324
lung cancer
and concentrations of air pollutants, 813–823
diagnosis of, A426–A427
p53 mutations, 385–391
and proximity to industry, 189–196
lung disease, in miners, A539–A540, A545
lung imaging fluroescence endoscopy, A426
lungs
effect of air pollutants on function of, 93–99
effect of reactive oxygen species on epithelium, S1197–S1203
nitric oxide synthase expression in, S1119–S1124
particulate-induced injury, S1157–S1163
role of oxidoreductases in injury, S1235–S1239
toxicity associated with Persian Gulf War, 141–146
lymphoma, childhood, S917

M

macrophage inflammatory protein 2, induction by asbestos, S1171–S1174
macrophages, effect of asbestos on, S160–S161
mad cow disease. *See* bovine spongiform encephalopathy
magnetic fields. *See* electromagnetic fields
malondialdehyde, role in human disease, S1229–S1234
manganese
effects on dopamine release, 487–491
health effects of, A57–A58, S374–S375
maximum tolerated dose, S285
measurement error, S1535, S1541
Megathura crenulata, A425
melanoma, vaccines against, A425
mercury, A56, S207–S209
allergies to, S96–S97
contamination in the Arctic, A66
technology to remove from waste streams, A74–A76
metabolic activation, A522–A523, S134
metallothionein, S1397
effect of metal exposure on, 587–595
in proximal tubule cells exposed to metals, 825–832
role in cadmium detoxification, S205, S297–S300
metal recycling, health effects of dioxins among workers in, S697–S700
metals, A61
binding characteristics and toxicity, S1419–S1425
in blood and urine of Great Lakes residents, 279–289
effect on proximal tubule, 587–595, 825–832
effects of micronutrients on toxicity of, S203–S216
exposure of children to, 308–309
lung diseases from dusts of, A540
use of aquatic arthropods to biomonitor, S1395–S1407
methamphetamine, health hazards of illegally manufacturing, A172–A173
methane production, by landfills, A320
methanol, as a gasoline additive, 117
methionine, effect on mercury toxicity, S209
methylcyclopentadienyl manganese tricarbonyl, risk assessment of, S191–S201
methylmercury
N-acetylcysteine as an antidote to poisoning, 267–271
effects of prenatal exposure to, 559–564
exposure of children to, S841–S847
methyl sulfone, interaction with glucocorticoid receptor, 769–772
methyl tertiary butyl ether, 117–119
reducing risks from, A220
removal from groundwater using liquid carbon dioxide, A475
Mexico
air pollution and mortality in, 849–855
exposure of children to pesticides in, 347–353
mice
liver tumor response, S285–S288
*ras*H2, S57–S69
transgenic, S57–S69, S71–S80, S81–S84, S473–S476
tests of chemical mixtures using, S1296
Microcystis aeruginosa, effect on hepatocytes, 409–413
milk, human. *See* breast milk
miners, health of, A538–A543
Mine Safety and Health Administration, A533, A539, A541, A543, A544–A546
mining
effect of drinking water regulations on, A550
effects of wastes on dopamine release, 487–491
effects on environment, A542–A543
role of bacteria in toxic pollutants from, A531–A532
minorities, in research, A366–A367
miscarriage, chlorinated hydrocarbons in women who experience, 675–681
mitochondria
effect of cyanobacteria on, 409–413
and oxidants, S1171–S1174, S1191–S1195
role in apoptosis, S1125–S1130
mitogen-activated kinase, effect of reactive oxygen species on, S1208
mixture design, S1373–S1376
models. *See also specific types of models*
of chemical interactions in mixtures, S1353–S1360
evaluation of quantitative, S1453–S1460
statistical methods for validation, S1541–S1550
use of empirical data in, S1467–S1484
validation of blood lead, S1535–S1539
molds, health effects caused by, A11–A12
molecular genetic studies, in aquatic toxicology, S1401–S1404
monochloracetate, effect on liver slices, S1319–S1323
monomethylarsonic acid, A170
mortality
among herbicide sprayers, S645–S653
among Seveso, Italy, residents exposed to dioxin, S629
of child cancer patients, A23
of miners in developing countries, A541–A542
mosquitoes, killing, A172
mouse ear-swelling test, S537
multiple chemical sensitivity, S85–S109, A226, A594–A595
multiple personality disorder, S89
musculoskeletal disorders, among miners, A541
mutagenicity, A522–A523
of bioremediated soil, S1427–S1433, S1435–S1440
of chemical mixtures, S1373–S1376
of isoflavones and flavones, 85–92
Mycobacterium tuberculosis, A532
mycotoxins
as cause of nephropathy, 692
combined actions of, S1362–S1364
myeloma, and exposure to gasoline, 115–116
myocarditis, animal models of, S122–S123

N

National Ambient Air Quality Standards, A373–A374
National Center for Complementary and Alternative Medicine, A589
National Environmental Education Training Foundation, A12
National Institute of Child Health and Human Development, A13
National Institute of Environmental Health Sciences
chemical mixture studies, S1295–S1298

children's health research, A24
Kid's Page, A272
review of research programs, A376–A377
town meetings, A593
National Mining Association, A545
National Oceanic and Atmospheric Administration, watershed surveys, A229–A230
National Sea Grant College Program, A321
National Toxicology Program, A377, A477
Center for Evaluation of Risks to Human Reproduction, A480–A481
Center for the Evaluation of Alternative Toxicological Methods, A481–A483
chemical mixture studies, S1295–S1298
exposure assessments, 623–627
history and research of, A484–A487
and public health policy, A470–A471
transgenic assays, S81–S84, 619–621
Native Americans
environmental affairs, A70–A72
exposure to polychlorinated biphenyls, S833–S840
natural killer cells, effect of asbestos on, S159–S160
nephropathy, Balkan endemic, 689–700
nephrotoxicity
thresholds of, 227–230
in vitro tests of, S559–S569
nerve agents, detoxification of, A182–A183
nerve growth factor, A429
nervous system, childhood cancers of, A18, S912–S917
neural tube defects, S1273
neuraminidase, role in flu, A373
neuroblastoma, childhood, S898
neurofibromatosis, S803–S804
neurogenic switiching, S88, S101
neuronal cell types, S135–S136
neurotoxicity, A486
alternative testing methods for, S505–S510
of gasoline, 116
testing of chemical mixtures, S1284–S1285
in vitro assessment of, S131–S158
New York and New Jersey, Port of, A232–A233
New Zealand, climate and asthma, 607–610
nickel, exposure to and excretion of, 503–511
nicotinamide adenine dinucleotide, hydrolysis and apoptosis, S1127
nicotine, addictive action of, 231–238
nicotinic receptor, A173–A174
nitrate, *N*-nitrosamine formation from, 459–463
nitric oxide
role in apoptosis, S1125–S1130
role in inflammatory response, S1131–S1137, S1139–S1143, S1145–S1149
role in particulate-induced lung injury, S1157–S1163
role in silicosis, S1165–S1169
nitric oxide synthase
effect of ozone on, S1175–S1178
expression in human airway epithelium, S1119–S1124
nitrogen, pollution of waters, A327
nitrogen metabolism, pollutant effects model, 493–497
nitrogen oxides, effect on somatic chromosomes, 643–647
nitrosamines
and childhood cancer, A22
formation from nitrates, 459–463
nitrous oxide, emissions from vehicles, A276
noise pollution, A222–A223, A527–A528
in mines, A540–A541
non-Hodgkin's lymphoma
childhood, S898
etiology of, S679–S681
induced by Agent Orange, S671–S678
norharman, A522–A523
Norway, nickel refineries on border of, 503–511
nuclear factor kappa B, S1153–S1154
activation by asbestos, S1171–S1174
and nitric oxide synthase, S1175–S1178
and reactive species, S1199
Nuclear Regulatory Commission, stance on stockpiling potassium iodide, A128–A129
nutrient overenrichment, A327

O

occupational exposures
to carbon disulfide, 611–613
to dioxins, S645–S653, S655–S662
cancer risk assessment, S663–S670
and cardiovascular diseases, S635–S643
effect on liver enzymes and thyroid hormones, S697–S700
estimating using physiologic toxicokinetic models, S743–S753
immunotoxicity of, S689–S695, S701–S705
via thermal oxygen cutting, S715–S722
effects of nitrogen oxides, 643–647
hairdressers and salivary gland cancers, A59
to lead, 213–216, 565–571
maximum concentration values, S1291–S1293
of miners, A538–A543
to nickel, 507, 509
parental and childhood cancer, S909–S925
to pentachlorophenol, 401–408
to pesticides, S683–S688, S733–S735, 415–420, 793–796
oceans, algal blooms, A326–A331
ochratoxin A, 692
octylphenol, effect on testis development, A220–A221
ocular irritation, alternative testing methods for, S423, S485–S492
Office for Research on Women's Health, A270
Office of Children's Health Protection, A24
Office of Cosmetics and Colors, A595
offspring sex ratios, use to detect endocrine disruptors, A472
Olden, Kenneth, A325
olivopontocerebellar atrophy, 611–612
Organisation for Economic Co-operation and Development, A319
organochlorines
in blood and urine of Great Lakes residents, 279–289
effect on sex hormones of turtles, 253–260
organotypic cultures, S427–S433
organ toxicity, alternative testing methods for, S408–S409, S427–S439
osteoblasts, transformation by depleted uranium, 465–471
otitis media with effusion, A605–A606
ovine spongiform encephalopathy, A135, A137
oxidants
effect on mitochondrial gene expression, S1191–S1195
effect on sodium pump gene expression, S1213–S1217
oxidative stress, S331–S339
animal models of, 375–384
effect on phosphotyrosine phosphatases, S1179–S1184
epithelial defense against, S1241–S1251
and lipid peroxidation, S1229–S1234
role in apoptosis, S1125–S1130
role in carcinogenesis, S289–S295
oxidoreductases, role in lung injury, S1235–S1239
oxygenates, in gasoline, 117
ozone
atmospheric, A276
and asthma, 751–761
effect on nitric oxide synthase, S1175–S1178
effect on pulmonary function, 93–99
genetic susceptibility to health effects of, A130–A131
and lung cancer, 813–823
stratospheric, A67
health effects of depletion, S241–S251

P

Pacific Northwest National Laboratory, mercury absorption technology, A74–A76
palladized iron remediation technology, A332–A334
palmitic acid, role in tissue repair, S1312
particulates. *See* air pollution, particulate
pediatrics. *See* children
pentachlorophenol, 401–408
in women who have miscarriages, 675–681
perfumes. *See* fragrances
peroxynitrite
role in ocular inflammation, S1145–S1149
role in particulate-induced lung injury, S1157–S1163

Persian Gulf War
illnesses in veterans of, A226
pulmonary effects from, 141–146
persistent organic compounds
in the Arctic, A64–A66
in Eastern and Central Europe, 309
Peru, lead exposure in children, A170–A171
pesticides, A52–A53, A126
in blood and urine of Great Lakes residents, 279–289
and breast cancer, 526–527
carcinogenicity assays of mixtures of, S1331–S1336
developmental neurotoxicology of, S807–S811
effect on sex hormones of turtles, 253–260
effect on thyroid, 437–445
exposure assessment methodology, 721–724
exposure of children to, A21, 299–301, 347–353, S893–S908
on food, S859, S1347–S1351
indoor exposure to, 9–16, 725–731
inhibition of estrogenicity of, 807–812
linked to cryptorchidism and hypospadias, 793–796
occupational exposures to, 401–408, 415–420
prenatal exposure to, A16
risk assessment of, S878, 303–306
use in developing countries, A372
use on lawns, A379
World Resources Institute report on, 51–54
pest tolerance, A436
petroleum mixtures, modeling chemistry of, S1441–S1448
Pfiesteria, A327, A329–A330, A425–A426
testing for, A224–A226
pharmaceuticals
assessing carcinogenicity of, S71–S80
from dinoflagellates, A284–A285
pharmacokinetics, of dioxins, 782–784
phenoxy herbicides. *See under* herbicides
phorbol ester binding, effect of polychlorinated biphenyls and dioxins on, 479–486
phosphodiesterase, use in antitoxicant sponges, A182–A183
phospholipases, effect of reactive oxygen species on, S1208–S1209
phosphophorus, red, A173
phosphotyrosine phosphatases, effect of oxidative stress on, S1179–S1184
phototoxicity, S493–S494
physiologically based biokinetic models, S416
physiologically based pharmacokinetic models, S375, S1283
of mixtures, S1377–S1384
predictive toxicology using, S1385–S1393
of 2,4-toluenediamine, 393–400
physiologic toxicokinetic models, use to estimate dioxin exposure, S743–S753
phytoestrogens, S5
binding to estrogen receptor, 581–586
characterization of estrogenicity, 581–586
inhibition of aromatase by, 85–92
in laboratory animal feed, 369–373
relative potency of, 23–26
phytoplankton. *See* dinoflagellates
phytoremediation, A439–A440
plant breeding, A433–A436
plants
antioxidants in, S1241–S1251
hormone mimicry, S5
Pliocene lignite deposits, and nephropathy, 692–696
p53 mutations, 207–211
in lung cancer patients, 385–391
pneumoconiosis, A539. *See also* coal miner's pneumoconiosis
role of reactive oxygen species, S1151–S1155
pollinators, declines in, A424–A425
pollution prevention, in biomedical research, A580–A581
Pollution Prevention Act of 1990, S253
polychlorinated biphenyls, S1265–S1270
in blood and urine of Great Lakes residents, 279–289
in breast milk, 513–518, 797–806
effect on sex hormones in turtles, 257
exposure assessment methodology, 721–724
exposure of children to, A14–A15
exposure of Native Americans to, A66, S833–S840
interaction with dioxins, 479–486
and intersexuality in frogs, 261–266
maternal exposure and birth weight, 61–66
methylsulfonyl, 769–772
reductive chlorination of, S1409–S1418
remediation and dredging as a source of, 47–49
risk assessment of, S171–S189, 317–323
in sediments, A228–A229
toxic equivalency factors for, 775–792
polycyclic aromatic hydrocarbons, A60, S1263–S1270
exposure assessment methodology, 721–724
inhibition of gap junctional intercellular communication by, 17–22
mutagenicity of, S1373–S1376
in sediments, A228–A229
tumorigenicity of, S1325–S1330, S1337–S1346
polyurethane
risks from breast implants covered with, A526–A527
2,4-toluenediamine leached from, 393–400
poplar trees, use in remediation, A439–A440
Population Bomb, The, A267
population genetics, in aquatic toxicology, S1395–S1407
pork production. *See* hog industry
post-traumatic stress disorder, S89
potassium iodide, stockpiling in nuclear facilities, A128–A129
poverty, and lung cancer, 189–196
prevention, of breast cancer, 523–529
prion proteins, A136
progesterone receptor, effect of xenoestrogens on, 170
prostanoids, 229
prostate cancer, S28–S29
protein
and arsenic toxicty, S211
effect on cadmium toxicity, S205
protein kinases
and ionizing radiation, S301–S305
role in respiratory bursts, S1186
protein phosphatases
effect on superoxide production, S1185–S1190
and reactive oxygen species, S1205–S1212
proteinuria, 227–228
proximal tubule, effect of metals on, 587–595, 825–832
Pseudo-nitzschia, A328–A329
public, perception of cancer, A312–A313
public health policy, A484–A485, 519–521
and the National Toxicology Program, A470–A471
pulmonary fibrosis and vasculitis, animal models of, S118–S121

Q

quality of life, and hazardous waste sites, S1274
quantitative ion character–activity relationships, S1419–S1425
quantitative models, evaluation of, S1453–S1460
quantitative structure–activity relationships, S415–S416, S1283
integration with *in vitro* tests, S459–S465
predictive toxicology using, S1385–S1393
use to screen dioxins, 785

R

radiation
international laboratory for study of health effects of, A587–A588
ionizing, S277–S283
exposure of children to, A20, 309
and protein kinase, S301–S305
use to sterilize meat, A129–A130
nonlinearity of health effects, S363–S368
ras genes, mice carrying, S57–S69, S74–S75
reactive nitrogen species. *See also* nitric oxide
effect on airway epithelium gene expression, S1197–S1203
reactive oxygen species
defense against, S1219–S1228, S1241–S1251
effect on airway epithelial gene expression, S1197–S1203
effect on protein tyrosine phosphatases, S1205–S1212
induced by cyanobacteria, 409–413
role in asbestos immunotoxicology, S164–S165
role in carcinogenesis, S289–S295
role in lung injury, S1151–S1155, S1157–S1163
sources of, 375–376
red tides, A327
reductive chlorination, of polychlorinated biphenyls, S1409–S1418

refinery process, chemistry of, S1444–S1445
Relenza. *See* zanamivir
remediation
  and air pollution, 47–49
  efforts by U.S. Navy, A225
  genotoxicity of soil after, S1427–S1433, S1435–S1440
renal tumors, and exposure to gasoline, 116
Report on Carcinogens, A485
reproductive toxicity, A485
  alternative testing methods for, S409, S571–S576
  research on, A480–A481
research, minorities in, A366–A367
Research Institute for Fragrance Materials, A595
resistance, effect of ultraviolet radiation on, 71–77
respiratory distress syndrome, acute, role of oxidoreductases, S1235–S1239
respiratory infections, among residents of Indian slums, 291–297
respiratory tract lining fluids, S1241–S1242, S1245–S1247
response surface modeling, S1337, S1339–S1340
reverse osmosis, A549
Rhone–Poulenc, A268–A269
risk assessment, A216, A486–A487, A601, S369–S378
  of air pollution, 245–251, 519–521, 545
  cancer. *See under* cancer
  of chemical mixtures, S1283–S1284, S1299–S1305, S1353–S1360, S1367–S1371, S1377–S1384
  of chemical releases, 217–226
  of chlorpyrifos, 303–306
  of consumer products, S387–390
  of endocrine disruptors, 105–113, S807–S811
  of hazardous wastes, S1276–S1277
  of infectious diseases, A280–A282
  at low levels of exposure, S379–S381, S383–S385, S391–S394
  of metals, S1419–S1425
  of neurotoxicity, S131–S158
  of polychlorinated biphenyls, S171–S189, 317–323
  of thyroid follicular cell tumors, 447–457
  of 2,4-toluenediamine, 393–400
  of ultraviolet radiation, 71–77
  use of invertebrates, S594
  use of physiologic toxicokinetic models, S743–S753
rodent models, of cardiopulmonary disease, S111–S130
rotavirus, vaccination against, A128
Russia, nickel refineries in, 503–511

S

salivary gland cancers, among hairdressers, A59
Salmonella typhimurium
  assay, A522–A523, S82–S83
  use to treat cancer, A56–A57
sanitation, A234–A236
Savannah River Ecology Laboratory, A587
Screening Information Data Set, A601
seafood. *See also* shellfish poisoning
  arsenic exposure via, 37
  consumption and contaminants in breast milk, 64
  safety regulations for, A475–A477
secondary malignant neoplasms, S804
sediment quality advisory levels, A232, A233–A234
sediments, contamination of, A228–A233
selenium, effect on mercury toxicity, S209
semivolatile compounds, remediation and dredging as a source of, 47–49
sensitization, to allergens, S797–S798
sensory responses, to volatile organic compounds, 739–744
sepsis, role of nitric oxide in, S1139–S1143
Seveso, Italy, studies of dioxin exposures, S625–S633, 273–277
sex hormone-binding globulin, effect of trichloroethylene on, 41–44
sexual differentiation, effect of DDE on turtle, 185–188
Seychelles Child Development Study, 559
shellfish poisoning, A326, A328, A476
shipping, transport of harmful algae via, A328
shock, role of nitric oxide in hemmorhagic, S1139–S1143
shuttle plasmids, A532
sick building syndrome, A595, 739
signaling pathways, disruption of, S5–SS10
signal transduction
  effect of oxidative stress on, S1179–S1184
  effect of reactive oxygen and nitrogen species on, S1197–S1203
  research on, A537
silicosis, A540, A545–A546
  role of nitric oxide, S1165–S1169
simazine, clastogenicity of, 197–201
skin, antioxidants in, S1241–S1251
skin cancer
  from arsenic exposure, A548
  and sunscreen use, A223–A224
  vaccines against, A425
slime. *See* biofilms
Smart Growth Network, A278
smell, and chemical sensitivity, A596–A598
S9 mix, A522–A523
smoke, pulmonary toxicity from, 141–146
smoking
  and exposure to particulate matter, 539
  genetic influences on behavior, 231–238
  hazards to children, A12–A13, S789
  maternal, 64, S821–S826
  p53 mutations in lung cancer induced by, 385–391
soapbark tree, A425
Society of Toxicology, A268
socioeconomic status
  and lung cancer, 189–196
  and respiratory infections in India, 291–297
sodium pump, effect of oxidants on, S1213–S1217
soft-tissue sarcomas, induced by Agent Orange, S671–S678
soil
  arsenic and antimony exposures via, 33–39
  exposure to lead via, S217–S229, S1571, S1589–S1594, 500
  genotoxicity of bioremediated, S1427–S1433, S1435–S1440
soldering, exposure to dioxins via, S715–S722
solvents, replacements for, S253–S271
somatic chromosomes, effect of nitrogen oxides on, 643–647
Southern California Environmental Health Sciences Center, A322–A324
species differences, in xenobiotic metabolism, 633–641
spermatogenesis, A133
  and lead exposure, 213–216
sperm counts, regional differences in, A369–A371
sperm densities, A420–A421
sperm production, S13
Spiroplasma, A136
sponges, antitoxicant, A182–A184
spongiform encephalopathy, A135
sport utility vehicles, emissions from, A588
St. John's wort, A590
stable isotopes
  of lead, S1461–S1465, S1589–S1594
  use to monitor pollutant effects on nitrogen metabolism, 493–497
Stachybotrys atra, A11–A12
stress, and land use, A274
stress genes, A217–A218
stress proteins, expression after exposure to chemical mixtures, S1319–S1323
stress response, S325–S330
structure–activity relationships, S539. *See also* quantitative structure–activity relationships
structure-oriented lumping, S1441
suburban development, A275
sulfide mining, role of bacteria in toxic pollutants from, A531–A532
sulfur dioxide, and lung cancer, 813–823
sulfuric acid, water contamination associated with mining, A531
sunscreen, efficacy of, A223–A224
supercritical carbon dioxide, S259
superoxide, effect of protein phosphorylation on production of, S1185–S1190
superoxide dismutase, role in defense against injury by oxidants, S1219–S1228
surface plasmon resonance, A140–A142
Sweden, cadmium levels in kidney cortex, 175–178

T

Taiwan, effects of air pollution on children in, 331–355
T cells, regulation, S796–S797
teeth, fillings, A75
temperature, interactive effects with carbon monoxide, 649–653
testis development, and endocrine disruptors, A220–A221
testosterone, effect of organochlorines on turtle, 256

2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *See* dioxins
Tetrahymena pyriformis, as a model of pollutant effects on nitrogen metabolism, 493–497
thermal oxygen cutting, exposure to dioxins via, S715–S722
thioacetamide, dose–response relationship for, S1309
Thiobacillus ferrooxidans, A531
2-thiothiazolidine-4-carboxylic acid, execretion after exposure to carbon disulfide, A429
thyroid
  effect of dioxins on hormones, S697–S700
  effect of pesticides on, 437–445
  follicular cell tumors, 447–457
thyroid cancer, 427–436
  and Chernobyl nuclear disaster, A129
thyroid hormone, disruption by polychlorinated biphenyls, S172–S175
thyroid-stimulating hormone, 437, 447–450
  role in cancer development, 427–433
thyrotropin-releasing hormone, 437, 447–450
time-dependent sensitization, S87–S88, S100
tissue repair, S1307–S1317
  effect of colchicine on, 597–606
toluene
  effect on nitrogen metabolism, 495
  in gasoline, 120
2,4-toluenediamine, A526–A527
  risk assessment of, 393–400
toluene diisocyanate, antibodies to, 665–666
toxic equivalency factors, S1283, S1297, 775–792
toxicokinetics, S134
Toxic Release Inventory, 217
transgenic animals, A177. *See also* mice, transgenic
  assays using, 619–621
transgenic foods, A432–A437
transmissible spongiform encephlophathy, A135
traumatic dissociation, S85, S87, S89
trees, use of poplar in remediation, A439–A440
trichloroethene, biomarkers of exposure, 531–533, 573–580
trichloroethylene
  cleanup of, A438–A440
  dose–response relationship for, S1310
  effect on steroid hormones and insulin levels, 41–44
  health effects of, S1299–S1305
  possible link to childhood cancer, A20
trypsin modulating oostatic factor, A172
tuberculosis, A282, A532
tumor necrosis factor, A418–A419
  relation to reactive species, S1198
tumor-suppressor genes, 207–211
  inactivation of, S1154
turf management, environmental impacts of, A378–A385
turtles, effect of pesticides on, 185–188, 253–260
Tyler Prize for Environmental Achievement, A267
tyrosine kinases, effect of reactive oxygen species on, S1205–S1212

U

ubiquitin, S325–S330
ultraviolet radiation
  effect on immune system, 71–77
  and skin cancer, A223–A224
United Nations, A236
University of Texas Medical Branch, A536–A537
uranium, tumorigenicity of depleted, 465–471
urban areas
  environmental health in, A530
  exposure to lead in, 733–737
urban sprawl, A269, A274–A279
urinary tract
  childhood cancers of, S921–S922
  tumors of upper, 689, 696–697
U.S. Geological Survey, A375
U.S. Navy, Environmental Quality Science and Technology Division, A225
uterus
  effect of bisphenol A on, 719–720
  effect of xenoestrogens on vascular permeability of, 24–25
uveitis, role of nitric oxide in, S1145–S1149

V

vanadium, effect on phosphotyrosine phosphatases, S1180–S1182
vapor recovery systems, A220
vascular permeability, effect of xenoestrogens on uterine, 24–25
vasculitis, role of nitric oxide in, S1131–S1137
venom, therapeutic use of viper, A318–A319
Vibrio, A476, A477
Vibrio fischeri bioassay, S583–S591
Vietnam, cancer in persons exposed to Agent Orange, S671–S678
vinylidene chloride, effect on liver slices, S1319–S1323
vipers, therapeutic use of venom, A318–A319
viruses
  live vaccines against, A319
  possible role in nephropathy, 698
vitamin C, and lung cancer, 819
vitamin D, and lead absorption, S207
vitamin E, effect on mercury toxicity, S209
vitamin supplements, maternal and childhood cancer, S887–S892
volatile organic compounds
  biomarkers of exposure, 531–533
  model of effect on nitrogen metabolism, 493–497
  removal from water, A332–A334
  sensory responses to, 739–744

W

water. *See also* drinking water; groundwater
  assessing use of tap, 55–59
  contamination and childhood cancer, A20
  contamination and frog malformations, 841
  removal of volatile organic compounds from, A332–A334
water pollution, A228–A2333
  and algal blooms, A327–A328
  from animal wastes, A587
  from mining, A542–A543
water quality, A277–A278
  and turf management, A380–A381
watersheds, deterioration of, A277–A278
Wayne State University, Environmental Health Science Center, A60–A62
welding, exposure to dioxins via, S715–S722
Wilm's tumor, childhood, S898
wine extracts, estrogenicity of, S1347–S1351
wood preservatives, exposure to dioxins and furans from, S707
World Bank, A235
World Health Organization, A234, A236
  history and future of, A386–A388
World Resources Institute, A175, A603
  A Guide to the Global Environment, A533–A534
  report on pesticides, A52–A53, 51–54

X

xanthine oxidoreductase, and lung injury, S1235–S1239
xenobiotic metabolism, and cytochromes P450, 633–641
xenoestrogens, A221, S577. *See also* phytoestrogens
  environmental, S5–SS10
  inhibition by isoflavonoids, 807–812
  interaction with phytoestrogens in laboratory animal feed, 369–373
  polychlorinated biphenyls as, S175–S176
  potency of, 23–26, 167–174
  screening, 551–557
X-ray fluorescence, 2, 3–4
xylene, in gasoline, 120

Y

year 2000, environmental health goals, A600–A603
yeast two-hybrid system, 423

Z

zanamivir, A372–A373
zinc
  effect on cadmium toxicity, S204
  effect on proximal tubule, 587–595
  health effects of, S375
zinc protoporphyrin
  as a biomarker of porphyria, 213–216
  as marker of lead exposure, 501